

## **Product datasheet for TA392461S**

## **IL5RA Rabbit Polyclonal Antibody**

**Product data:** 

**Product Type: Primary Antibodies** 

**Applications:** 

Recommended Dilution: WB: 1:2000~1:5000

Reactivity: Human, Mouse

Host: Rabbit

Isotype: lgG

Clonality: Polyclonal

Immunogen: Recombinant protein of human CD125.

Specificity: CD125 polyclonal antibody detects endogenous levels of CD125 protein. Formulation: Rabbit IgG, 1mg/ml in PBS with 0.02% sodium azide, 50% glycerol, pH7.2.

Concentration: 1mg/ml

Conjugation: Unconjugated

Store at 4°C short term. Aliquot and store at -20°C long term. Avoid freeze-thaw cycles. Storage:

Stability: 1 year

**Predicted Protein Size:** ~ 60 kDa

Gene Name: interleukin 5 receptor subunit alpha

Database Link: Entrez Gene 3568 Human

Q01344

Background: Cell surface receptor that plays an important role in the survival, differentiation, and

> chemotaxis of eosinophils .Acts by forming an heterodimeric receptor with CSF2RB subunit and subsequently binding to interleukin-5.In unstimulated conditions, interacts constitutively with JAK2. Heterodimeric receptor activation leads to JAK2 stimulation and subsequent

activation of the JAK-STAT pathway.

Synonyms: CD125; CDw125; IL-5 receptor subunit alpha; IL-5R-alpha; IL-5RA; IL-5R subunit alpha;

Interleukin-5 receptor subunit alpha

Note: For research use only, not for use in diagnostic procedure.




OriGene Technologies, Inc. 9620 Medical Center Drive, Ste 200

CN: techsupport@origene.cn

Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com



## **Product images:**



Western blot (WB) analysis of CD125 polyclonal antibody at 1:2000 dilution Lane1:EC9706 cell membrane lysate(25ug) Lane2:MCF-7 cell membrane lysate(25ug)