

Product datasheet for TA392515S

NR0B1 Rabbit Polyclonal Antibody

Product data:

OriGene Technologies, Inc.

9620 Medical Center Drive, Ste 200 Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com CN: techsupport@origene.cn

Product Type:	Primary Antibodies
Applications:	IF, WB
Recommended Dilution:	WB: 1:2000~1:5000 IF 1:50 - 1:100
Reactivity:	Human, Pig
Host:	Rabbit
lsotype:	IgG
Clonality:	Polyclonal
Immunogen:	Synthetic peptide, corresponding to Human NR0B1.
Specificity:	NR0B1 polyclonal antibody detects endogenous levels of NR0B1 protein.
Formulation:	Rabbit IgG, 1mg/ml in PBS with 0.02% sodium azide, 50% glycerol, pH7.2.
Concentration:	1mg/ml
Conjugation:	Unconjugated
Storage:	Store at 4°C short term. Aliquot and store at -20°C long term. Avoid freeze-thaw cycles.
Stability:	1 year
Predicted Protein Size:	~ 48 kDa
Gene Name:	nuclear receptor subfamily 0 group B member 1
Database Link:	<u>Entrez Gene 190 Human</u> <u>P51843</u>




This product is to be used for laboratory only. Not for diagnostic or therapeutic use. ©2024 OriGene Technologies, Inc., 9620 Medical Center Drive, Ste 200, Rockville, MD 20850, US

GRIGENE NR0B1 Rabbit Polyclonal Antibody – TA392515S

Background: DSS-AHC critical region on the X chromosome protein 1 (DAX1) is an orphan nuclear receptor encoded by the nuclear receptor subfamily 0 group B member 1 (NR0B1) gene. DAX1 possesses an atypical DNA binding domain that allows it to form heterodimeric complexes with DNA binding partners and repress transcriptional activity. During development, DAX1 is important for establishment of the hypothalamic-pituitary-adrenal gonadal axis. The receptor is essential for development of several important hormone-producing organs that determine this axis, including the adrenal glands, pituitary, hypothalamus, and the male and female reproductive organs. Research studies suggest that DAX1 plays a role in maintenance of pluripotency in embryonic stem cells. Loss of DAX1 function through deletion or mutation results in adrenal insufficiency and hypogonadotropic hypogonadism, while duplication of the NR0B1 gene on the X-chromosome causes dosage-sensitive sex reversal.


- Synonyms:AHC, DAX1; DSS-AHC critical region on the X chromosome protein 1; NR0B1; Nuclear receptorDAX-1; Nuclear receptor subfamily 0 group B member 1
- **Note:** For research use only, not for use in diagnostic procedure.

Product images:



Western blot (WB) analysis of NR0B1 polyclonal antibody at 1:2000 dilution Lane1:A549 whole cell lysate(40ug) Lane2:Hela whole cell lysate(40ug) Lane3:The Brain tissue lysate of Pig(40ug)

This product is to be used for laboratory only. Not for diagnostic or therapeutic use. ©2024 OriGene Technologies, Inc., 9620 Medical Center Drive, Ste 200, Rockville, MD 20850, US



Immunofluorescence analysis of A549 cells using NR0B1 antibody at dilution of 1:100.

This product is to be used for laboratory only. Not for diagnostic or therapeutic use. ©2024 OriGene Technologies, Inc., 9620 Medical Center Drive, Ste 200, Rockville, MD 20850, US