

Product datasheet for TA392551S

splicing factor 1 (SF1) Rabbit Polyclonal Antibody

Product data:

Product Type: Primary Antibodies

Applications: WB

Recommended Dilution: WB: 1:1000~1:2000 IHC: 1:50~1:200

Reactivity: Human

Host: Rabbit

Isotype: IgG

Clonality: Polyclonal

Immunogen: Synthetic peptide, corresponding to Human SF1.

Specificity: SF1 polyclonal antibody detects endogenous levels of SF1 protein.

Formulation: Rabbit IgG, 1mg/ml in PBS with 0.02% sodium azide, 50% glycerol, pH7.4.

Concentration: 1mg/ml

Conjugation: Unconjugated

Storage: Store at 4°C short term. Aliquot and store at -20°C long term. Avoid freeze-thaw cycles.

Stability: 1 year

Predicted Protein Size: ~ 75 kDa

Gene Name: splicing factor 1

Database Link: Entrez Gene 7536 Human

Q15637



OriGene Technologies, Inc. 9620 Medical Center Drive, Ste 200

CN: techsupport@origene.cn

Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com



Background:

Mammalian splicing factor 1 (designated SF1, zinc finger protein 162, ZFM1,CW17R and mammalian branch point binding protein [mBBP]) specificallyrecognizes the seven-nucleotide branch point sequence located at 3' splicesites and participates in the assembly of early spliceosomal complexes. Splicing factor 1 functions as a transcriptional repressor and may control bothproliferation and expression of pro-inflammatory gene products in smoothmuscle cells. In addition, cytokine-induced downregulation of splicing factor 1 expression may contribute to the pathogenesis of hyperproliferative inflammatory diseases. The structure of splicing factor 1 contains a nuclear transport domain, a metal binding motif, and glutamine- and proline-rich regions. Human splicing factor 1 also exists as several different isoforms, H1-isoformand Bo-isoform, produced by alternative splicing events. The human splicingfactor 1 gene is located on chromosome 11 close to the gene encoding Menin, the gene responsible for multiple endocrine neoplasia-type 1 (MEN1).


Synonyms:

BBP; Mammalian branch point-binding protein; mBBP; SF1; Splicing factor 1; Transcription factor ZFM1; ZFM1; Zinc finger gene in MEN1 locus; Zinc finger protein 162; ZNF162

Note:

For research use only, not for use in diagnostic procedure.

Product images:



Immunohistochemistry of paraffin-embedded Rat Brain using SF1 antibody at dilution of 1:50.