

## Product datasheet for **TA392599S**

### JAK2 Rabbit Polyclonal Antibody

#### Product data:

Product Type:	Primary Antibodies
Applications:	IF, WB
Recommended Dilution:	WB:1:2000~1:5000 IF: 1:50~1:200
Reactivity:	Human, Mouse, Rat
Host:	Rabbit
Isotype:	IgG
Clonality:	Polyclonal
Immunogen:	Recombinant protein.
Specificity:	JAK2 polyclonal antibody detects endogenous levels of JAK2 protein.
Formulation:	Rabbit IgG, 1mg/ml in PBS with 0.02% sodium azide, 50% glycerol, pH7.2
Concentration:	1mg/ml
Conjugation:	Unconjugated
Storage:	Store at 4°C short term. Aliquot and store at -20°C long term. Avoid freeze-thaw cycles.
Stability:	1 year
Predicted Protein Size:	~ 130 kDa
Gene Name:	Janus kinase 2
Database Link:	<a href="#">Entrez Gene 3717 Human O60674</a>
Background:	JAK2 (Janus kinase 2) belongs to the emerging family of non-receptor Janus tyrosine kinases, which regulate a spectrum of cellular functions downstream of activated cytokine receptors in the lympho-hematopoietic system. Immunological stimuli, such as interferons and cytokines, induce recruitment of Stat transcription factors to cytokine receptor-associated JAK2. JAK2 then phosphorylates proximal Stat factors, which subsequently dimerize, translocate to the nucleus and bind to cis elements upstream of target gene promoters to regulate transcription. The canonical JAK/Stat pathway is integral to maintaining a normal immune system by stimulating proliferation, differentiation, survival and host resistance to pathogens. Altering JAK/Stat signaling to reduce cytokine induced pro-inflammatory responses represents an attractive target for anti-inflammatory therapies.




[View online »](#)

**Synonyms:** JAK-2; JAK2; Janus Activating Kinase 2; Janus kinase 2; Janus kinase 2 (a protein tyrosine kinase); JTK10; kinase Jak2; OTTHUMP00000043260; THCYT3; Tyrosine-protein kinase JAK2; Tyrosine protein kinase JAK2

**Note:** For research use only, not for use in diagnostic procedure.

**Product images:**



Immunofluorescence analysis of MCF-7 cells using JAK2 antibody at dilution of 1:50.