

## **Product datasheet for TA392614**

# **Apg12 (ATG12) Rabbit Polyclonal Antibody**

#### **Product data:**

**Product Type:** Primary Antibodies

Applications: WE

**Recommended Dilution:** WB: 1:500~1:1000 IHC: 1:50~1:200

Reactivity: Human, Mouse, Rat

Host: Rabbit Isotype: IgG

Clonality: Polyclonal

**Immunogen:** Synthetic peptide, corresponding to Human ATG12.

**Specificity:** ATG12 (A98) polyclonal antibody detects endogenous levels of ATG12 protein.

Formulation: Rabbit IgG, 1mg/ml in PBS with 0.02% sodium azide, 50% glycerol, pH7.2

Concentration: 1mg/ml

Conjugation: Unconjugated

Storage: Store at 4°C short term. Aliquot and store at -20°C long term. Avoid freeze-thaw cycles.

Stability: 1 year

**Predicted Protein Size:** ~ 20, 55 kDa

**Gene Name:** autophagy related 12

**Database Link:** Entrez Gene 9140 Human

<u>094817</u>

**Background:** Autophagy is a catabolic process for the autophagosomic-lysosomal degradation of bulk

cytoplasmic contents. Autophagy is generally activated by conditions of nutrient deprivation

but has also been associated with a number of physiological processes including

development, differentiation, neurodegeneration, infection, and cancer. The molecular

machinery of autophagy was largely discovered in yeast and referred to as autophagy-related (Atg) genes. Formation of the autophagosome involves a ubiquitin-like conjugation system in

which Atg12 is covalently bound to Atg5 and targeted to autophagosome vesicles. This

conjugation reaction is mediated by the ubiquitin E1-like enzyme Atg7 and the E2-like enzyme

Atg10.



**OriGene Technologies, Inc.** 9620 Medical Center Drive, Ste 200

CN: techsupport@origene.cn

Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com


#### Apg12 (ATG12) Rabbit Polyclonal Antibody - TA392614

Synonyms: APG12; APG12-like; APG12L; ATG12; Autophagy-related protein 12; Ubiquitin-like protein


ATG12

**Note:** For research use only, not for use in diagnostic procedure.

### **Product images:**



Western blot (WB) analysis of ATG12 (A98) polyclonal antibody at 1:500 dilution Lane1:SP2/0 whole cell lysate(40ug) Lane2:C6 whole cell lysate(40ug) Lane4:SHSY5Y whole cell lysate(40ug) Lane5:HCT116 whole cell lysate(40ug)



Immunohistochemistry of paraffin-embedded Human Liver cancer using ATG12 antibody at dilution of 1:50.