

Product datasheet for TA392636

Froduct datasineet for TA592050

CD160 Rabbit Polyclonal Antibody

Product data:

Product Type: Primary Antibodies

Applications: WB

Reactivity: WB: 1:500~1:1000 Human, Mouse, Rat

Host: Rabbit Isotype: IgG

Clonality: Polyclonal

Immunogen: Synthetic peptide, corresponding to amino acids 21-70 of Human CD160.

Specificity: CD160 (T45) polyclonal antibody detects endogenous levels of CD160 protein.

Formulation: Rabbit IgG, 1mg/ml in PBS with 0.02% sodium azide, 50% glycerol, pH7.2

Concentration: 1mg/ml

Conjugation: Unconjugated

Storage: Store at 4°C short term. Aliquot and store at -20°C long term. Avoid freeze-thaw cycles.

Stability: 1 year

Predicted Protein Size: ~ 19 kDa

Gene Name: CD160 molecule

Database Link: Entrez Gene 11126 Human

<u>095971</u>

Background: CD160, also known as NK1, BY55 or NK28, is a 181 amino acid lipid-anchored cell membrane

glycoprotein that contains one immunoglobulin-like domain. Expressed in small intestine, spleen and functional NK (natural killer) and T cytotoxic lymphocytes, CD160 exists as a

disulfide-linked homomultimer that functions as a receptor for MHC (major

histocompatability complex) molecules and is thought to regulate the function of NK cells. Additionally, CD160 interacts with HVEM (herpesvirus entry mediator) and, via this interaction,

is able to negatively regulate CD4+ T cell activation, indicating a role in immune system regulation. Multiple isoforms of CD160 exist due to alternative splicing events. The gene encoding CD160 maps to human chromosome 1, which spans 260 million base pairs,

contains over 3,000 genes and comprises nearly 8% of the human genome.



OriGene Technologies, Inc. 9620 Medical Center Drive, Ste 200

CN: techsupport@origene.cn


Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com



Synonyms: BY55; CD160; CD160 antigen; Natural killer cell receptor BY55

Note: For research use only, not for use in diagnostic procedure.

Product images:



Western blot (WB) analysis of CD160 pAb at 1:1000 dilution Lane1:RAW264.7 whole cell lysate(40ug) Lane2:K562 whole cell lysate(40ug) Lane3:Jurkat whole cell lysate(40ug) Lane4:Myla2059 whole cell lysate(40ug)