

Product datasheet for TA392637

Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com

Rockville, MD 20850, US

techsupport@origene.com
EU: info-de@origene.com
CN: techsupport@origene.cn

OriGene Technologies, Inc. 9620 Medical Center Drive, Ste 200

Calpain 2 (CAPN2) Rabbit Polyclonal Antibody

Product data:

Product Type: Primary Antibodies

Applications: WE

Recommended Dilution: WB: 1:500~1:1000 IHC: 1:50~1:200

Reactivity: Human, Mouse, Rat

Host: Rabbit Isotype: IgG

Clonality: Polyclonal

Immunogen: Synthetic peptide, corresponding to amino acids 320-370 of Human Calpain 2.

Specificity: Calpain 2 (K354) polyclonal antibody detects endogenous levels of Calpain-2 catalytic subunit

protein.

Formulation: Rabbit IgG, 1mg/ml in PBS with 0.02% sodium azide, 50% glycerol, pH7.2

Concentration: 1mg/ml

Conjugation: Unconjugated

Storage: Store at 4°C short term. Aliquot and store at -20°C long term. Avoid freeze-thaw cycles.

Stability: 1 year

Predicted Protein Size: ~ 80 kDa

Gene Name: calpain 2

Database Link: Entrez Gene 824 Human

P17655

Background: Mu Calpain, and m calpain, also known as Calpain 2, are intracellular, calcium dependent

cysteine proteases. Mu calpain has a micromolar sensitivity (thus the mu) as compared to the millimolar calcium sensitivity of m calpain. Both Calpains 1 and 2 are composed of an 80 kD subunit and a 30 kD subunit. Whereas the 30 kDa subunit is shared by both enzymes, the larger catalytic subunits are different and exhibit the distinct Ca++ requirements that are

suggested by their names.

Synonyms: Calcium-activated neutral proteinase 2; Calpain-2 catalytic subunit; Calpain-2 large subunit;

Calpain large polypeptide L2; Calpain M-type; CANP 2; CANPL2; CAPN2; M-calpain; Millimolar-

calpain






Note:

For research use only, not for use in diagnostic procedure.

Product images:



Western blot (WB) analysis of Calpain 2 (K354) pAb at 1:500 dilution Lane1:Beas-2B whole cell lysate(40ug) Lane2:HEK293T whole cell lysate(40ug) Lane3:PC3 whole cell lysate(40ug) Lane4:The Kidney tissue lysate of Mouse(40ug) Lane5:The Kidney tissue lysate of Rat(40ug)



Immunohistochemistry (IHC) analyzes of Calpain 2 (K354) pAb in paraffin-embedded human brain tissue.