

Product datasheet for TA392682

CD11b (ITGAM) Rabbit Polyclonal Antibody

Product data:

Product Type: Primary Antibodies

Applications: WB

Reactivity: WB: 1:500~1:1000 Human, Mouse, Rat

Host: Rabbit Isotype: IgG

Clonality: Polyclonal

Immunogen: Recombinant full length Human CD11B (630aa-1104aa).

Specificity: CD11B (I1) polyclonal antibody detects endogenous levels of CD11B protein.

Formulation: Rabbit IgG, 1mg/ml in PBS with 0.02% sodium azide, 50% glycerol, pH7.2

Concentration: 1mg/ml

Conjugation: Unconjugated

Storage: Store at 4°C short term. Aliquot and store at -20°C long term. Avoid freeze-thaw cycles.

Stability: 1 year

Predicted Protein Size: ~ 170 kDa

Gene Name: integrin subunit alpha M

Database Link: Entrez Gene 3684 Human

P11215

Background: Integrin αM, also designated complement component receptor-3 α, CD11b (p170),

macrophage antigen a polypeptide, cell surface glycoprotein Mac-1 a subunit, MAC1A, MO1A and ITGAM) is a cell adhesion molecule that acts as a receptor for cell surface ligands such as intracellular adhesion molecules (ICAMs) or soluble ligands. Integrins are heterodimeric proteins that contain an a chain and b chain. Integrin αM combines with the Integrin $\beta 2$ to form a leukocyte-specific integrin referred to as macrophage receptor 1 (Mac-1), or inactivated-C3b (iC3b) receptor 3 (CR3). Integrin $\alpha M/\beta 2$ is important in the adherence of neutrophils and monocytes to stimulated endothelium, and also in the phagocytosis of

complement coated particles.



OriGene Technologies, Inc. 9620 Medical Center Drive, Ste 200

CN: techsupport@origene.cn

Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com




Synonyms:

CD11 antigen-like family member B; CD11B; CD11b; Cell surface glycoprotein MAC-1 subunit alpha; CR-3 alpha chain; CR-3α; CR3A; CR3α; Integrin alpha-M; Integrin αM; ITGAM; Leukocyte adhesion receptor MO1; Neutrophil adherence receptor

Note:

For research use only, not for use in diagnostic procedure.

Product images:



Western blot (WB) analysis of CD11B (I1) polyclonal antibody at 1:500 dilution Lane1:THP-1 cell lysate Lane2:Raw264.7 cell lysate Lane3:PC12 cell lysate