

Product datasheet for TA392794M

RAD21 Rabbit Polyclonal Antibody

Product data:

Product Type: Primary Antibodies

Applications:

Recommended Dilution: WB: 1:500~1:1000 IHC: 1:50~1:200

Reactivity: Human, Mouse, Rat

Host: Rabbit Isotype: lgG

Clonality: Polyclonal

Immunogen: Synthetic peptide, corresponding to amino acids 521-570 of Human Rad21.

Specificity: Rad21 (D548) polyclonal antibody detects endogenous levels of Rad21 protein.

Formulation: Rabbit IgG, 1mg/ml in PBS with 0.02% sodium azide, 50% glycerol, pH7.2

Concentration: 1mg/ml

Conjugation: Unconjugated

Store at 4°C short term. Aliquot and store at -20°C long term. Avoid freeze-thaw cycles. Storage:

Stability: 1 year

Predicted Protein Size: ~ 130 kDa

Gene Name: RAD21 cohesin complex component

Entrez Gene 5885 Human Database Link:

060216

Background: Rad21 is one of the major cohesin subunits that holds sister chromatids together until

> anaphase, when proteolytic cleavage by separase, a caspaselike enzyme, allows chromosomal separation. Rad21 interacts with Rec8 to form a cohesin complex that functions in sister chromatid alignment. Rad21 is also involved in the repair of double-strand breaks in DNA and is essential for mitotic growth. Rad21 undergoes a C-terminal cleavage induced by diverse stimuli right before apoptosis. The cleavage product migrates to the cytoplasm and is involved in early events in the apoptotic pathway and it amplifiles the cell death signal in a

positive-feedback manner.

Synonyms: Double-strand-break repair protein rad21 homolog; hHR21; HR21; KIAA0078; Nuclear matrix

protein 1; NXP-1; NXP1; RAD21; SCC1 homolog



OriGene Technologies, Inc. 9620 Medical Center Drive, Ste 200

CN: techsupport@origene.cn


Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com



Note:

For research use only, not for use in diagnostic procedure.

Product images:



Western blot (WB) analysis of Rad21 (D548) pAb at 1:500 dilution Lane1:C6 whole cell lysate(40ug) Lane2:3T3-L1 whole cell lysate(40ug) Lane3:Hela whole cell lysate(40ug) Lane4:HEK293T whole cell lysate(40ug)