

Product datasheet for TA392819M

Rabbit Polyclonal Antibody

Product data:

Product Type: Primary Antibodies

Applications: WB

Reactivity: WB: 1:500~1:1000 Human, Mouse, Rat

Host: Rabbit Isotype: IgG

Clonality: Polyclonal

Immunogen: Synthetic peptide, corresponding to amino acids 81-130 of Human TCR β.

Specificity: TCR β (K115) polyclonal antibody detects endogenous levels of TCR β protein.

Formulation: Rabbit IgG, 1mg/ml in PBS with 0.02% sodium azide, 50% glycerol, pH7.2

Concentration: 1mg/ml

Conjugation: Unconjugated

Storage: Store at 4°C short term. Aliquot and store at -20°C long term. Avoid freeze-thaw cycles.

Stability: 1 year

Predicted Protein Size: ~ 19 kDa

Database Link: P01850

Background: TCR (T cell antigen receptor) recognizes foreign antigens and translates such recognition

events into intracellular signals that elicit a change in the cell from a dormant to an activated state. TCR is a heterodimer composed of either alpha and beta or gamma and delta chains. The vast majority of circulating T cells (95%) express the alpha/beta heterodimer while roughly 2-5% express the gamma/delta heterodimer. CD3 chains and the CD4 or CD8

coreceptors are also required for efficient signal transduction through the TCR.

Synonyms: T-cell receptor beta-1 chain C region; TRBC1

Note: For research use only, not for use in diagnostic procedure.




OriGene Technologies, Inc. 9620 Medical Center Drive, Ste 200

CN: techsupport@origene.cn

Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com



Product images:



Western blot (WB) analysis of TCR β (K115) pAb at 1:500 dilution Lane1:H1792 whole cell lysate(40ug) Lane2:Hela whole cell lysate(40ug) Lane3:H9C2 whole cell lysate(40ug) Lane4:3T3-L1 whole cell lysate(40ug)