

Product datasheet for TA392844M

Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com

OriGene Technologies, Inc. 9620 Medical Center Drive, Ste 200

EU: info-de@origene.com
CN: techsupport@origene.cn

SAR1B Rabbit Polyclonal Antibody

Product data:

Product Type: Primary Antibodies

Applications: WE

Reactivity: WB: 1:500~1:1000 Human, Mouse, Rat

Host: Rabbit Isotype: IgG

Clonality: Polyclonal

Immunogen: Synthetic peptide, corresponding to amino acids 121-181 of Human Sar1b.

Specificity: Sar1b (F151) pAb detects endogenous levels of Sar1b protein.

Formulation: Rabbit IgG, 1mg/ml in PBS with 0.02% sodium azide, 50% glycerol, pH7.2

Concentration: 1mg/ml

Conjugation: Unconjugated

Storage: Store at 4°C short term. Aliquot and store at -20°C long term. Avoid freeze-thaw cycles.

Stability: 1 year

Predicted Protein Size: ~ 22 kDa

Gene Name: secretion associated Ras related GTPase 1B

Database Link: Entrez Gene 51128 Human

Q9Y6B6

Background: There are a number of components involved in the secretory pathway of cells. Vesicular

traffic within the early secretory pathway is mediated by COPI- and COPII-coated vesicles. The COPII vesicle coat protein promotes the formation of endoplasmic reticulum (ER) derived transport vesicles that carry secretory proteins to the Golgi complex. The SAR1 gene encodes two isoforms, Sar1a and Sar1B, in mammalian cells. These proteins are low-molecular-weight GTPases, which are essential for the formation of transport vesicles from the ER. Mutations in the SAR1 gene result in Anderson's disease (and/or chylomicron retention disease CMRD), a rare, autosomal recessive lipid malabsorption disorder characterized by chronic diarrhea,

failure to thrive and hypocholesterolemia in childhood.

Synonyms: GTBPB; GTP-binding protein B; GTP-binding protein SAR1b; SAR1B; SARA2; SARB






Note:

For research use only, not for use in diagnostic procedure.

Product images:



Western blot (WB) analysis of Sar1b (F151) pAb at 1:500 dilution Lane1:L02 whole cell lysate(40ug) Lane2:HCT116 whole cell lysate(40ug) Lane3:The Brain tissue lysate of Mouse(40ug) Lane4:The Muscle tissue lysate of Rat(40ug)