

# Product datasheet for TA392965

## CD11b (ITGAM) Mouse Polyclonal Antibody

## **Product data:**

#### OriGene Technologies, Inc.

9620 Medical Center Drive, Ste 200 Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com CN: techsupport@origene.cn

Product Type:	Primary Antibodies
Applications:	WB
Recommended Dilution:	WB: 1:500~1:1000
Reactivity:	Human, Mouse, Rat
Host:	Mouse
lsotype:	lgG
Clonality:	Polyclonal
Immunogen:	Recombinant Human CD11B (630aa-1104aa).
Specificity:	CD11B (L1) mAb detects endogenous levels of CD11B protein.
Formulation:	1mg/ml in PBS with 0.02% sodium azide, 50% glycerol, pH7.2
Concentration:	1mg/ml
Conjugation:	Unconjugated
Storage:	Store at 4°C short term. Aliquot and store at -20°C long term. Avoid freeze-thaw cycles.
Stability:	1 year
Predicted Protein Size:	~ 170 kDa
Gene Name:	integrin subunit alpha M
Database Link:	<u>Entrez Gene 3684 Human</u> <u>P11215</u>
Background:	Integrin $\alpha$ M, also designated complement component receptor-3 $\alpha$ , CD11b (p170), macrophage antigen a polypeptide, cell surface glycoprotein Mac-1 a subunit, MAC1A, MO1A and ITGAM) is a cell adhesion molecule that acts as a receptor for cell surface ligands such as intracellular adhesion molecules (ICAMs) or soluble ligands. Integrins are heterodimeric proteins that contain an a chain and b chain. Integrin $\alpha$ M combines with the Integrin $\beta$ 2 to form a leukocyte-specific integrin referred to as macrophage receptor 1 (Mac-1), or inactivated-C3b (iC3b) receptor 3 (CR3). Integrin $\alpha$ M/ $\beta$ 2 is important in the adherence of neutrophils and monocytes to stimulated endothelium, and also in the phagocytosis of complement coated particles.



This product is to be used for laboratory only. Not for diagnostic or therapeutic use. ©2023 OriGene Technologies, Inc., 9620 Medical Center Drive, Ste 200, Rockville, MD 20850, US

#### **CD11b** (ITGAM) Mouse Polyclonal Antibody – TA392965


Synonyms:

CD11 antigen-like family member B; CD11B; CD11b; Cell surface glycoprotein MAC-1 subunit alpha; CR-3 alpha chain; CR-3α; CR3A; CR3α; Integrin alpha-M; Integrin αM; ITGAM; Leukocyte adhesion receptor MO1; Neutrophil adherence receptor

Note:

For research use only, not for use in diagnostic procedure.

### **Product images:**



Western blot (WB) analysis of CD11B (L1) mAb at 1:500 dilution Lane1:Myla2059 whole cell lysate(30ug) Lane2:HuT78 whole cell lysate(30ug) Lane3:K562 whole cell lysate(30ug) Lane4:The Spleen tissue lysate of Rat(40ug) Lane5:RAW264.7 whole cell lysate(40ug) Lane6:THP-1 whole cell lysate(40ug)

This product is to be used for laboratory only. Not for diagnostic or therapeutic use. ©2023 OriGene Technologies, Inc., 9620 Medical Center Drive, Ste 200, Rockville, MD 20850, US