

Product datasheet for TA396546

OriGene Technologies, Inc. 9620 Medical Center Drive, Ste 200

Rockville, MD 20850, US
Phone: +1-888-267-4436
https://www.origene.com
techsupport@origene.com
EU: info-de@origene.com
CN: techsupport@origene.cn

Rabbit Polyclonal Antibody

Product data:

Product Type: Primary Antibodies

Applications: ELISA, IP, WB

Recommended Dilution: WB: User Optimized

ELISA: User Optimized

Host: Rabbit

Clonality: Polyclonal

Immunogen: Anti-Bovine serum antibody was produced by repeated immunizations with Bovine serum

proteins

Specificity: Anti-Bovine serum antibody was prepared from polyspecific antiserum by a delipidation and

defibrination. Assay by immunoelectrophoresis resulted in single precipitin arc against anti-

rabbit IgG and multiple precipitin arcs against Bovine Serum.

Formulation: 0.02 M Potassium Phosphate, 0.15 M Sodium Chloride, pH 7.2

Reconstitution Method: Restore with deionized water (or equivalent) - Reconstitution Volume: 2.0 mL

Concentration: 90 mg/mL - lot specific

Conjugation: Unconjugated

Storage: Store vial at 4° C prior to restoration. For extended storage aliquot contents and freeze at -

 20° C or below. Avoid cycles of freezing and thawing. Centrifuge product if not completely clear after standing at room temperature. This product is stable for several weeks at 4° C as

an undiluted liquid. Dilute only prior to immediate use.

Stability: Expiration date is one (1) year from date of receipt.

Background: Anti-Bovine serum antibody detects bovine serum proteins. Serum proteins are those

proteins remaining in portion of plasma after coagulation of blood, during which process the plasma protein fibrinogen is converted to fibrin and remains behind in the clot. Anti-Bovine serum antibody is ideal for investigators involved in Cell Signaling, cellular biology and Signal

Transduction research.

Synonyms: Bovine serum antibody, Rabbit and bovine serum, cow plasma, Anti-bovine serum antibody

produced in rabbit, anti-cow serum

Note: Anti-Bovine serum antibody is suitable for western blotting, IP and for ELISA. Researchers

should determine optimal titers for applications that are not stated below.

