

Product datasheet for **TA396669S**

BLRO_MYRVE Goat Polyclonal Antibody


Product data:

Product Type:	Primary Antibodies
Applications:	ELISA, IP, WB
Recommended Dilution:	WB: 1:500 - 1:2,500 ELISA: 1:1,000 - 1:5,000
Reactivity:	Myrothecium verrucaria
Host:	Goat
Clonality:	Polyclonal
Immunogen:	Bilirubin Oxidase [Myrothecium verrucaria]
Specificity:	Bilirubin Oxidase is an IgG fraction antibody purified from monospecific antiserum by a multi-step process which includes delipidation, salt fractionation and ion exchange chromatography followed by extensive dialysis against the buffer stated above. Assay by immunoelectrophoresis resulted in a single precipitin arc against anti-Peroxidase, anti-Goat Serum as well as purified and partially purified Bilirubin Oxidase [Myrothecium verrucaria]. Cross reactivity against Bilirubin Oxidase from other sources is unknown.
Formulation:	0.02 M Potassium Phosphate, 0.15 M Sodium Chloride, pH 7.2
Concentration:	1.0 mg/mL - lot specific
Conjugation:	HRP
Storage:	Store vial at -20° C or below prior to opening. This vial contains a relatively low volume of reagent (25 µL). To minimize loss of volume dilute 1:10 by adding 225 µL of the buffer stated above directly to the vial. Recap, mix thoroughly and briefly centrifuge to collect the volume at the bottom of the vial. Use this intermediate dilution when calculating final dilutions as recommended below. Store the vial at -20°C or below after dilution. Avoid cycles of freezing and thawing.
Stability:	Expiration date is one (1) year from date of receipt.
Database Link:	Q12737



[View online »](#)

- Background:** Bilirubin Oxidase is key in the oxidation of bilirubin and other tetrapyrroles. This enzyme belongs to the family of oxidoreductases, to be specific those acting on the CH-CH group of donor with oxygen as acceptor. The systematic name of this enzyme class is bilirubin:oxygen oxidoreductase. This enzyme is also called bilirubin oxidase M-1. This enzyme participates in porphyrin and chlorophyll metabolism.
- Synonyms:** goat anti-Bilirubin Oxidase HRP conjugation, goat anti-Bilirubin Oxidase Antibody Peroxidase Conjugated
- Note:** Anti-Bilirubin Oxidase has been tested by western blot and is suitable to be assayed against 1.0 ug of Bilirubin Oxidase [*Myrothecium verrucaria*] in a standard capture ELISA using ABTS (2,2'-azino-bis-[3-ethylbenthiazoline-6-sulfonic acid]) code # ABTS-100 as a substrate for 30 minutes at room temperature. A working dilution of 1:500 to 1:2,500 of the reconstitution concentration is suggested for this product.

Product images:

Western Blot of Goat anti-Bilirubin Oxidase (*Myrothecium verrucaria*) Antibody Peroxidase Conjugated. Lane 1: Bilirubin Oxidase (*Myrothecium verrucaria*). Load: 50 ng per lane. Primary antibody: Goat anti-Bilirubin Oxidase (*Myrothecium verrucaria*) Antibody Peroxidase Conjugated at 1:1,000 overnight at 4°C. Secondary antibody: n/a. Block: MB-070 for 30 minutes at RT. Predicted/Observed size: 64 kDa, 60 kDa for Bilirubin Oxidase. Other band(s): Bilirubin Oxidase splice variants and isoforms.