

## Product datasheet for **TA396731S**

### PKM Goat Polyclonal Antibody

#### Product data:

Product Type:	Primary Antibodies
Applications:	ELISA, WB
Recommended Dilution:	<b>WB:</b> 1:500 - 1:2,000 <b>ELISA:</b> 1:4,000 - 1:20,000
Reactivity:	Rabbit
Host:	Goat
Clonality:	Polyclonal
Immunogen:	Pyruvate Kinase [Rabbit Muscle]
Specificity:	Pyruvate Kinase is an IgG fraction antibody purified from monospecific antiserum by a multi-step process which includes delipidation, salt fractionation and ion exchange chromatography followed by extensive dialysis against the buffer stated above. Assay by immunoelectrophoresis resulted in a single precipitin arc against anti-Peroxidase, anti-Goat Serum as well as purified and partially purified Pyruvate Kinase [Rabbit Muscle]. This product has been reported to react with all forms of pyruvate kinase (pan M-PK). Cross reactivity against Pyruvate Kinase from other tissues and species may occur but have not been specifically determined.
Formulation:	0.02 M Potassium Phosphate, 0.15 M Sodium Chloride, pH 7.2
Concentration:	1 mg/mL - lot specific
Conjugation:	HRP
Storage:	Store vial at -20° C or below prior to opening. This vial contains a relatively low volume of reagent (25 µL). To minimize loss of volume dilute 1:10 by adding 225 µL of the buffer stated above directly to the vial. Recap, mix thoroughly and briefly centrifuge to collect the volume at the bottom of the vial. Use this intermediate dilution when calculating final dilutions as recommended below. Store the vial at -20°C or below after dilution. Avoid cycles of freezing and thawing.
Stability:	Expiration date is one (1) year from date of receipt.
Database Link:	<a href="#">Entrez Gene 100008676 Rabbit P11974</a>



[View online »](#)

- Background:** Pyruvate Kinase is an enzyme involved in glycolysis. It catalyzes the transfer of a phosphate group from phosphoenolpyruvate (PEP) to ADP, yielding one molecule of pyruvate and one molecule of ATP. Genetic defects of this enzyme cause the disease known as pyruvate kinase deficiency and can cause hemolytic anemia.
- Synonyms:** goat anti-Pyruvate Kinase Antibody, HRP Conjugated goat anti-Pyruvate Kinase Antibody, Pyruvate kinase isozymes M1/M2 antibody, Pyruvate kinase muscle isozyme antibody, Pyruvate kinase 2/3 antibody, Cytosolic thyroid hormone-binding protein antibody, PKM2
- Note:** Anti-Pyruvate Kinase has been assayed against 1.0 ug of Pyruvate Kinase [Rabbit Muscle] in a standard capture ELISA using ABTS (2,2'-azino-bis-[3-ethylbenthiazoline-6-sulfonic acid]) code # ABTS-100 as a substrate for 30 minutes at room temperature. A working dilution of 1:15,000 to 1:60,000 of the reconstitution concentration is suggested for this product.