

## Product datasheet for **TA396742S**

### PRXC, HRPC Guinea Pig Polyclonal Antibody

#### Product data:

Product Type:	Primary Antibodies
Applications:	ELISA, IHC, WB
Recommended Dilution:	<b>WB:</b> 1:2,000 - 1:10,000 <b>IHC:</b> 1:1,000 - 1:5,000 <b>ELISA:</b> 1:20,000 - 1:100,000
Host:	Guinea Pig
Clonality:	Polyclonal
Immunogen:	Peroxidase [Horseradish]
Specificity:	Anti-Peroxidase (Horseradish) (Guinea Pig) Antibody is an IgG fraction antibody purified from monospecific antiserum by a multi-step process which includes delipidation, salt fractionation and ion exchange chromatography followed by extensive dialysis against the buffer stated above. Assay by immunoelectrophoresis resulted in a single precipitin arc against anti-Guinea Pig Serum as well as purified and partially purified Peroxidase [Horseradish]. Cross reactivity against Peroxidase from other tissues and species may occur but have not been specifically determined.
Formulation:	0.02 M Potassium Phosphate, 0.15 M Sodium Chloride, pH 7.2
Concentration:	1.0 mg/ml - lot specific
Conjugation:	Unconjugated
Storage:	Store vial at -20° C or below prior to opening. This vial contains a relatively low volume of reagent (25 µL). To minimize loss of volume dilute 1:10 by adding 225 µL of the buffer stated above directly to the vial. Recap, mix thoroughly and briefly centrifuge to collect the volume at the bottom of the vial. Use this intermediate dilution when calculating final dilutions as recommended below. Store the vial at -20°C or below after dilution. Avoid cycles of freezing and thawing.
Stability:	Expiration date is one (1) year from date of receipt.
Background:	Horse Radish Peroxidase (HRP) is an enzyme that utilize organic peroxide compounds as electron donors. Naturally provides protection for plants against pathogens, but can be utilized in molecular biology to convert various substrates to detectable compounds (such as in Western Blotting and ELISAs). Anti-Peroxidase (Horseradish) (Guinea Pig) Antibody is ideal for investigators in Microbiology, Immunology, and Cell Biology research.




[View online »](#)

**Synonyms:** Guinea pig anti-peroxidase antibody, Guinea pig anti-HRP antibody, Horseradish peroxidase

**Note:** Anti-Peroxidase (Horseradish) (Guinea Pig) Antibody has been tested by western blot and is suitable for immunoblotting (western or dot blot), ELISA, immunoprecipitation, conjugation and most immunological methods requiring high titer and specificity.

**Product images:**



Western Blot Results of Anti-Peroxidase Antibody. Lane 1: Opal Prestained Molecular Weight Marker (p/n MB-210-0500). Lane 2: Peroxidase. Primary Anti-Peroxidase at 1:2000 at RT for 1hr. Secondary Antibody: Goat Anti-Guinea Pig IgG DyLight™549 (p/n 606-142-129) at 1:10000 at RT for 30mins. Block: MB-070. Expect MW: ~44kDa.