

Product datasheet for TA396833S

OriGene Technologies, Inc.

9620 Medical Center Drive, Ste 200 Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com CN: techsupport@origene.cn

MAPK1 Mouse Monoclonal Antibody [Clone ID: 3H9.A1.A8]

Product data:

Product Type: Primary Antibodies

Clone Name: 3H9.A1.A8
Applications: ELISA, WB

Recommended Dilution: WB: 1µg/mL ELISA: 1:40,000

Reactivity: Human, Mouse, Rat

Host: Mouse

Clonality: Monoclonal

Immunogen: Anti-ERK2 Monoclonal Antibody was produced in mice by repeated immunizations with

synthetic peptide corresponding to amino acid residues near an internal region of ERK2

conjugated to KLH.

Specificity: This HRP conjugated protein A purified mouse monoclonal antibody reacts specifically with

human ERK2. Anti-ERK2 is purified from tissue culture supernatant by protein A purification. Cross reactivity is expected to occur with human, mouse, and rat based on sequence identity

of the peptide immunogen. This antibody does not react with the ERK1 isoform.

Formulation: 0.02 M Potassium Phosphate, 0.15 M Sodium Chloride, pH 7.2

Concentration: 1mg/mL - lot specific

Conjugation: HRP

Storage: Store vial at -20° C or below prior to opening. This vial contains a relatively low volume of

reagent (25 μ L). To minimize loss of volume dilute 1:10 by adding 225 μ L of the buffer stated above directly to the vial. Recap, mix thoroughly and briefly centrifuge to collect the volume at the bottom of the vial. Use this intermediate dilution when calculating final dilutions as recommended below. Store the vial at -20°C or below after dilution. Avoid cycles of freezing

and thawing.

Stability: Expiration date is one (1) year from date of receipt.

Database Link: P28482





MAPK1 Mouse Monoclonal Antibody [Clone ID: 3H9.A1.A8] - TA396833S

Background: ERK2 antibodies detect the ERK2 isoform. Mitogen activated protein kinase 1, also known as

MAPK1, ERK, or ERK2, is an integral component of the MAP kinase cascade that regulates cell growth and differentiation. ERK1 and ERK2 are activated by MEK1 and MEK2 in the B-raf signaling pathway resulting in its translocation to the nucleus where it phosphorylates nuclear

targets. Human ERK1 and ERK2 are 84% identical in sequence and share common

functionality in cells. Anti-ERK2 antibody is ideal for investigators involved in Neuroscience,

Cell Signaling and Cancer Research.

Synonyms: mouse anti-ERK2 antibody HRP conjugation, peroxidase conjugated mouse anti-ERK2

antibody, MAPK1, ERK, ERK-2, ERK2, MAPK2, P42MAPK, PRKM1, PRKM2, ERK-2 Antibody

Note: Anti-ERK 2 (MOUSE) peroxidase conjugated antibody is suitable for use in Western Blotting.

Specific conditions of reactivity should be optimized by the end user. Expect a band of

approximately 41 kDa.