

## **Product datasheet for TA396890S**

## **Rabbit Polyclonal Antibody**

**Product data:** 

**Product Type:** Primary Antibodies

**Applications:** ELISA, WB

Recommended Dilution: WB: 1:500-1:1000

ELISA: 1:1000-1:2000

Reactivity: Escherichia coli

**Host:** Rabbit

Clonality: Polyclonal

Immunogen: Anti-HMW E.Coli Host Cell Proteins Antibody was prepared by repeated immunizations with a

mixture high molecular weight (HMW) proteins from E.Coli (BL21).

**Specificity:** HMW Host Cell Protein A purified antibody is directed against high molecular weight E.coli

Host Cell Proteins. The product was purified from monospecific antiserum by Protein A

affinity chromatography.

**Formulation:** 0.02 M Potassium Phosphate, 0.15 M Sodium Chloride, pH 7.2

**Concentration:** 1.38 mg/ml - lot specific

Conjugation: Unconjugated

Storage: Store vial at -20° C or below prior to opening. This vial contains a relatively low volume of

reagent (25  $\mu$ L). To minimize loss of volume dilute 1:10 by adding 225  $\mu$ L of the buffer stated above directly to the vial. Recap, mix thoroughly and briefly centrifuge to collect the volume at the bottom of the vial. Use this intermediate dilution when calculating final dilutions as recommended below. Store the vial at -20°C or below after dilution. Avoid cycles of freezing

and thawing.

**Stability:** Expiration date is one (1) year from date of receipt.



**OriGene Technologies, Inc.** 9620 Medical Center Drive, Ste 200

CN: techsupport@origene.cn

Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com



Background: Anti-HMW Host Cell Proteins Antibody recognizes high molecular weight protein fractions

from E.coli. This antibody has been analyzed by 2D electrophoresis western blot to assure highest possible coverage of E.coli HCP. Host Cell Proteins are process-related impurities derived from a host cell expression system that may be present in trace amounts in a final

drug substance. HCP Antibodies are used to detect impurities in biologically-based

therapeutics. Detecting impurities often unseen by 1-D electrophoresis, a 2D electrophoresis western blot analysis delivers more complete insight into the immunocoverage of protein

components of the host cell lysate.


**Synonyms:** rabbit anti-E.Coli Host Cell Protein antibody, rabbit anti-HCP antibody, rabbit Anti-Host Cell

Protein, rabbit anti-HMW E.Coli HCP, rabbit anti-high molecular weight HCP

Note: Anti-HMW Host Cell Proteins Antibody detects over 250 E.coli HMW proteins and has been

tested in 2D-Page, western blotting, and ELISA.

## **Product images:**



2D Western Blot of anti-E.coli High Molecular Weight Host Cell Protein antibody. Load:  $35 \mu g$  HMW HCP. Primary antibody: Rabbit anti-HMW-HCP antibody at 1:200 for overnight at 4°C. Secondary antibody: Goat anti-rabbit secondary antibody at 1:10,000 for 30 min at RT. Block: MB-070 for 1 hour at RT.