

Product datasheet for TA397003S

CELA1 Rabbit Polyclonal Antibody

Product data:

Product Type: Primary Antibodies

Applications: ELISA, IHC, WB

Recommended Dilution: WB: 1:500 - 1:2,000

IHC: User Optimized **ELISA**: 1:5,000 - 1:20,000

Reactivity: Porcine

Host: Rabbit

Clonality: Polyclonal

Immunogen: Elastase [Porcine Pancreas]

Specificity: Elastase is an IgG fraction antibody purified from monospecific antiserum by a multi-step

process which includes delipidation, salt fractionation and ion exchange chromatography

followed by extensive dialysis against the buffer stated above. Assay by

immunoelectrophoresis resulted in a single precipitin arc against anti-Peroxidase, anti-Rabbit Serum as well as purified and partially purified Elastase [Porcine Pancreas]. Cross reactivity against Elastase from other tissues and species may occur but have not been specifically

determined.

Formulation: 0.02 M Potassium Phosphate, 0.15 M Sodium Chloride, pH 7.2

Concentration: 1.0 mg/mL - lot specific

Conjugation: HRP

Storage: Store vial at -20° C or below prior to opening. This vial contains a relatively low volume of

reagent (25 μ L). To minimize loss of volume dilute 1:10 by adding 225 μ L of the buffer stated above directly to the vial. Recap, mix thoroughly and briefly centrifuge to collect the volume at the bottom of the vial. Use this intermediate dilution when calculating final dilutions as recommended below. Store the vial at -20°C or below after dilution. Avoid cycles of freezing

and thawing.

Stability: Expiration date is one (1) year from date of receipt.

Database Link: P00772



OriGene Technologies, Inc. 9620 Medical Center Drive, Ste 200

CN: techsupport@origene.cn

Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com



CELA1 Rabbit Polyclonal Antibody - TA397003S

Background: Elastase is an enzyme from the class of proteases (peptidases) that break down proteins.

Elastase breaks down elastin, an elastic fiber that, together with collagen, determines the mechanical properties of connective tissue. Elastase also has the important immunological role of breaking down Shigella virulence factors. Elastase is responsible for pulmonary

emphysema, cyclic hematopoiesis, and blistering in bullous pemphigoid.

Synonyms: rabbit anti-Elastase Antibody Peroxidase Conjugation, HRP Conjugated rabbit anti-Elastase

Antibody, Fecal pancreatic elastase 1 antibody, HLE antibody, Medullasin antibody, Pancreatic

elastase IIA antibody, PE 1 antibody, PE1 antibody, Protease E antibody

Note: Anti-Elastase Peroxidase conjugated antibody has been tested by ELISA and western blot. This

product is assayed against 1.0 ug of Elastase [Porcine Pancreas] in a standard capture ELISA using ABTS (2,2'-azino-bis-[3-ethylbenthiazoline-6-sulfonic acid]) code # ABTS-100 as a substrate for 30 minutes at room temperature. A working dilution of 1:200 to 1:1,000 of the

reconstitution concentration is suggested for this product.