

## Product datasheet for **TA397027**

### ARG1 Rabbit Polyclonal Antibody

#### Product data:

Product Type:	Primary Antibodies
Applications:	ELISA, WB
Recommended Dilution:	<b>WB:</b> 1:200 - 1:1,000 <b>ELISA:</b> 1:1,000 - 1:5,000
Host:	Rabbit
Clonality:	Polyclonal
Immunogen:	Arginase [Bovine Liver]
Specificity:	Anti-Arginase is an IgG fraction antibody purified from monospecific antiserum by a multi-step process which includes delipidation, salt fractionation and ion exchange chromatography followed by extensive dialysis against the buffer stated above. Assay by immunoelectrophoresis resulted in a single precipitin arc against anti-Biotin, anti-Rabbit Serum as well as purified and partially purified Arginase [Bovine Liver]. Cross reactivity against Arginase from other sources is unknown.
Formulation:	0.02 M Potassium Phosphate, 0.15 M Sodium Chloride, pH 7.2
Reconstitution Method:	Restore with deionized water (or equivalent) - Reconstitution Volume: 100 µL
Concentration:	1.0 mg/mL - lot specific
Conjugation:	Biotin
Storage:	Store vial at 4° C prior to restoration. For extended storage aliquot contents and freeze at -20° C or below. Avoid cycles of freezing and thawing. Centrifuge product if not completely clear after standing at room temperature. This product is stable for several weeks at 4° C as an undiluted liquid. Dilute only prior to immediate use.
Stability:	Expiration date is one (1) year from date of receipt.
Database Link:	<a href="#">Q2KJ64</a>
Background:	Anti-Arginase antibody is localized in the cytoplasm and plays a key role in the Arginine Metabolism Urea Cycle. Anti-Arginase antibody, belonging to the arginase family, is ideal for researchers involved in Metabolism, Cancer, and Signal Transduction research.



[View online »](#)

**Synonyms:** rabbit anti-Arginase Antibody biotin Conjugation, biotin conjugated rabbit anti-Arginase Antibody, A I antibody, AI antibody, ARG 1 antibody, ARG1 antibody, Arginase 1 antibody, Arginase liver antibody, Arginase type I antibody, Arginase1 antibody, Liver type arginase antibody, Type I arginase antibody

**Note:** Anti-Arginase Biotin Conjugated Antibody has been tested by western blot and is suitable to be assayed against 1.0 ug of Arginase in a standard capture ELISA using Peroxidase Conjugated Streptavidin #S000-03 and ABTS (2,2'-azino-bis-[3-ethylbenthiazoline-6-sulfonic acid]) code # ABTS-100 as a substrate for 30 minutes at room temperature. A working dilution of 1:1,000 to 1:4,000 of the reconstitution concentration is suggested for this product.