

## Product datasheet for **TA397031S**

### ALD2 Rabbit Polyclonal Antibody

#### Product data:

Product Type:	Primary Antibodies
Applications:	ELISA, IP, WB
Recommended Dilution:	<b>WB:</b> 1:500 - 1:5,000 <b>ELISA:</b> 1:1,000 - 1:10,000
Host:	Rabbit
Clonality:	Polyclonal
Immunogen:	Aldehyde Dehydrogenase [Yeast]
Specificity:	Anti-Aldehyde Dehydrogenase is an IgG fraction antibody purified from monospecific antiserum by a multi-step process which includes delipidation, salt fractionation and ion exchange chromatography followed by extensive dialysis against the buffer stated above. Assay by immunoelectrophoresis resulted in a single precipitin arc against anti-Biotin, anti-Rabbit Serum as well as purified and partially purified Aldehyde Dehydrogenase [Yeast]. Cross reactivity against Aldehyde Dehydrogenase from other sources may occur but have not been specifically determined.
Formulation:	0.02 M Potassium Phosphate, 0.15 M Sodium Chloride, pH 7.2
Concentration:	1.0 mg/mL - lot specific
Conjugation:	Biotin
Storage:	Store vial at -20° C or below prior to opening. This vial contains a relatively low volume of reagent (25 µL). To minimize loss of volume dilute 1:10 by adding 225 µL of the buffer stated above directly to the vial. Recap, mix thoroughly and briefly centrifuge to collect the volume at the bottom of the vial. Use this intermediate dilution when calculating final dilutions as recommended below. Store the vial at -20°C or below after dilution. Avoid cycles of freezing and thawing.
Stability:	Expiration date is one (1) year from date of receipt.
Database Link:	<a href="#">P47771</a>
Background:	Aldehyde Dehydrogenase catalyzes the oxidation of long-chain aliphatic aldehydes to fatty acids. It is active on a variety of saturated and unsaturated aliphatic aldehydes from 6 to 24 carbons in length. Anti-Aldehyde Dehydrogenase antibody is ideal for researchers interested in Metabolism, Signal Transduction, Cardiovascular , or Neuroscience research.



[View online »](#)

**Synonyms:** rabbit anti-Aldehyde Dehydrogenase Antibody biotin Conjugation, biotin conjugated anti-Aldehyde Dehydrogenase Antibody, Aldehyde dehydrogenase [NAD(P)+] 1, ALD2, ALD5, ALD

**Note:** Anti-Aldehyde Dehydrogenase Biotin conjugated Antibody has been tested by ELISA and Western blot. This product is assayed against 1.0 ug of Aldehyde Dehydrogenase in a standard capture ELISA using Peroxidase Conjugated Streptavidin #S000-03 and ABTS (2,2'-azino-bis-[3-ethylbenthiazoline-6-sulfonic acid]) code # ABTS-100 as a substrate for 30 minutes at room temperature. A working dilution of 1:1,000 to 1:5,000 of the reconstitution concentration is suggested for this product.