

## Product datasheet for **TA397343**

### **F(ab')<sub>2</sub> Dog IgG F(ab')<sub>2</sub> Antibody Fluorescein Conjugated**

#### **Product data:**

<b>Product Type:</b>	Secondary Antibodies
<b>Product Name:</b>	F(ab') <sub>2</sub> Dog IgG F(ab') <sub>2</sub> Antibody Fluorescein Conjugated
<b>Applications:</b>	FC, IF
<b>Recommended Dilution:</b>	<b>IF:</b> 1:1,000-1:5,000 <b>FC:</b> 1:500-1:2,500 <b>FLISA:</b> 1:10,000 - 1:50,000
<b>Host:</b>	Rabbit
<b>Immunogen:</b>	Dog IgG F(ab') <sub>2</sub> fragment
<b>Formulation:</b>	0.02 M Potassium Phosphate, 0.15 M Sodium Chloride, pH 7.2
<b>Reconstitution Method:</b>	Restore with deionized water (or equivalent) - Reconstitution Volume: 2.0 mL
<b>Concentration:</b>	lot specific
<b>Conjugation:</b>	FITC
<b>Storage:</b>	Store vial at 4° C prior to restoration. For extended storage aliquot contents and freeze at -20° C or below. Avoid cycles of freezing and thawing. Centrifuge product if not completely clear after standing at room temperature. This product is stable for several weeks at 4° C as an undiluted liquid. Dilute only prior to immediate use.
<b>Note:</b>	Suitable for immunomicroscopy and flow cytometry or FACS analysis as well as other antibody based fluorescent assays requiring extremely low background levels, absence of F(c) mediated binding, lot-to-lot consistency, high titer and specificity.



[View online »](#)