

Product datasheet for **TA397459S**

ASAP1 Rabbit Polyclonal Antibody

Product data:

Product Type:	Primary Antibodies
Applications:	ELISA, WB
Recommended Dilution:	WB: 1 µg/mL ELISA: 1:50,000
Reactivity:	Human
Host:	Rabbit
Clonality:	Polyclonal
Immunogen:	Anti-ASAP1 affinity purified antibody was prepared from whole rabbit serum produced by repeated immunizations with a synthetic peptide corresponding to the c-terminus region of human ASAP1 protein.
Specificity:	This affinity purified antibody is directed against human ASAP1 protein. The product was affinity purified from monospecific antiserum by immunoaffinity purification. A BLAST analysis was used to suggest reactivity to human 100%, bovine 93%, and rat and mouse 87% homology for the immunogen sequence. Cross-reactivity from other sources has not been determined.
Formulation:	0.02 M Potassium Phosphate, 0.15 M Sodium Chloride, pH 7.2
Concentration:	1.04 mg/ml - lot specific
Conjugation:	Unconjugated
Storage:	Store vial at -20° C or below prior to opening. This vial contains a relatively low volume of reagent (25 µL). To minimize loss of volume dilute 1:10 by adding 225 µL of the buffer stated above directly to the vial. Recap, mix thoroughly and briefly centrifuge to collect the volume at the bottom of the vial. Use this intermediate dilution when calculating final dilutions as recommended below. Store the vial at -20°C or below after dilution. Avoid cycles of freezing and thawing.
Stability:	Expiration date is one (1) year from date of receipt.
Gene Name:	ArfGAP with SH3 domain, ankyrin repeat and PH domain 1
Database Link:	Entrez Gene 50807 Human Q9ULH1



[View online »](#)

Background:


This antibody is designed, produced, and validated as part of a collaboration between Rockland and the National Cancer Institute (NCI). ASAP1 (ArfGAP with SH3 Domain, Ankyrin Repeat and PH Domain 1) is a Protein Coding gene. This gene encodes an ADP-ribosylation factor (ARF) GTPase-activating protein. The GTPase-activating activity is stimulated by phosphatidylinositol 4,5-bisphosphate (PIP2), and is greater towards ARF1 and ARF5, and lesser for ARF6. This gene may be involved in regulation of membrane trafficking with cell growth or actin cytoskeleton remodeling by binding to both SRC and PIP2. ASAP1 may function as a signal transduction protein involved in the differentiation of fibroblasts into adipocytes and possibly other cell types (By similarity) and plays a role in ciliogenesis. Anti-ASAP1 is useful for researchers interested in GTPase activities and EGFR1 Signaling Pathway.

Synonyms:

Arf-GAP with SH3 domain, ANK repeat and PH domain-containing protein 1, 130 kDa phosphatidylinositol 4,5-bisphosphate-dependent ARF1 GTPase-activating protein, ADP-ribosylation factor-directed GTPase-activating protein 1, ARF GTPase-activating protein 1, Development and differentiation-enhancing factor 1, DEF-1, Differentiation-enhancing factor 1, PIP2-dependent ARF1 GAP

Note:

Anti-ASAP1 Antibody has been tested for use in ELISA and Western Blot. Expect a band approximately ~125kDa using positive control lysates over-expressing ASAP1, or other specific lysates or tissues. Although not tested, this antibody could be useful in Immunofluorescence or Immunohistochemistry. Specific conditions for reactivity should be optimized by the end user.

Product images:


Western Blot of Rabbit anti-ASAP1 antibody. Lane 1: ASAP1 transfected U118 lysate. Load: 35 µg per lane. Primary antibody: ASAP1 antibody at 1:1000 for overnight at 4°C. Secondary antibody: rabbit secondary HRP antibody (p/n 611-103-122) at 1:70,000 for 30 min at RT. Block: BlockOut (p/n MB-073) overnight at 4°C. Predicted/Observed size: 125 kda for ASAP1.