

OriGene Technologies, Inc.

9620 Medical Center Drive, Ste 200 Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com CN: techsupport@origene.cn

Product datasheet for TA397855

Mouse IgG (H&L) Secondary Antibody Peroxidase Conjugated Pre-Adsorbed

Product data:


Product Type:	Secondary Antibodies
Product Name:	Mouse IgG (H&L) Secondary Antibody Peroxidase Conjugated Pre-Adsorbed
Applications:	ELISA, IHC, WB
Recommended Dilution:	WB: 1:5,000-1:40,000 IHC: 1:500-1:5,000 ELISA: 1:10,000-1:100,000
Reactivity:	Mouse
Host:	Goat
Immunogen:	Mouse IgG whole molecule
Formulation:	0.02 M Potassium Phosphate, 0.15 M Sodium Chloride, pH 7.2
Reconstitution Method:	Restore with deionized water (or equivalent) - Reconstitution Volume: 1.0 mL
Concentration:	2.0 mg/mL - lot specific
Conjugation:	HRP
Storage:	Store vial at 4° C prior to restoration. For extended storage aliquot contents and freeze at - 20° C or below. Avoid cycles of freezing and thawing. Centrifuge product if not completely clear after standing at room temperature. This product is stable for several weeks at 4° C as an undiluted liquid. Dilute only prior to immediate use.
Note:	Mouse secondary antibody conjugated to horseradish peroxidase is available in a variety of formats. Anti-Mouse IgG Peroxidase Antibody has been tested by ELISA and is suitable for ELISA, Immunohistochemistry western blotting as well as other HRP antibody based assays.



This product is to be used for laboratory only. Not for diagnostic or therapeutic use. ©2023 OriGene Technologies, Inc., 9620 Medical Center Drive, Ste 200, Rockville, MD 20850, US



Product images:



ELISA results of purified Goat anti-Mouse IgG Antibody Peroxidase Conjugated (Min x Human Serum Proteins) tested against purified Mouse IgG. Each well was coated in duplicate with 1.0 µg of Mouse IgG (p/n 009-0102). The starting dilution of antibody was 5µg/ml and the X-axis represents the Log10 of a 3-fold dilution. This titration is a 4parameter curve fit where the IC50 is defined as the titer of the antibody. Assay performed using 3% fish gelatin and TME ELISA Peroxidase Substrate (p/n TMBE-1000).

This product is to be used for laboratory only. Not for diagnostic or therapeutic use. ©2023 OriGene Technologies, Inc., 9620 Medical Center Drive, Ste 200, Rockville, MD 20850, US