

Product datasheet for TA397947

OriGene Technologies, Inc.

9620 Medical Center Drive, Ste 200 Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com CN: techsupport@origene.cn

Rabbit IgG (H&L) Antibody Fluorescein Conjugated Pre-Adsorbed

Product data:

Product Type: Secondary Antibodies

Product Name: Rabbit IgG (H&L) Antibody Fluorescein Conjugated Pre-Adsorbed

Applications: FC, II

Recommended Dilution: IF: 1:1,000 - 1:5,000

FC: 1:500 - 1:2,500

FLISA: 1:10,000 - 1:50,000

Host: Guinea Pig

Immunogen: Rabbit IgG whole molecule

Formulation: 0.02 M Potassium Phosphate, 0.15 M Sodium Chloride, pH 7.2

Reconstitution Method: Restore with deionized water (or equivalent) - Reconstitution Volume: 1.0 mL

Concentration: 1.0 mg/mL - lot specific

Conjugation: FITC

Storage: Store vial at 4° C prior to restoration. For extended storage aliquot contents and freeze at -

20° C or below. Avoid cycles of freezing and thawing. Centrifuge product if not completely clear after standing at room temperature. This product is stable for several weeks at 4° C as

an undiluted liquid. Dilute only prior to immediate use.


Note: This product is designed for immunofluorescence microscopy, fluorescence based plate

assays (FLISA) and fluorescent western blotting. This product is also suitable for multiplex

analysis, including multicolor imaging, utilizing various commercial platforms.



Product images:



Western Blot of Anti-Rabbit IgG (H&L) (GUINEA PIG) Antibody (Min X Hu, Gt, Ms Serum Proteins) (p/n 611-201-122). Lane M: 3 µl Molecular Ladder. Lane 1: Rabbit IgG whole molecule (p/n 011-0102). Lane 2: Rabbit IgG F(ab) Fragment (p/n 011-0105). Lane 3: Rabbit IgG F(c) Fragment (p/n 010-0103). All samples were reduced. Load: 50 ng per lane. Block: MB-070 for 30 min at RT. Primary Antibody: Anti-Rabbit IgG (H&L) (GUINEA PIG) Antibody (Min X Hu, Gt, Ms Serum Proteins) (p/n 611-201-122) 1:500 for 60 min at RT. Secondary antibody: Anti-Guinea Pig IgG (GOAT) Peroxidase Conjugated Antibody (p/n 606-103-129) 1:40,000 in MB-070 for 30 min at RT. Predicted/Obsevered Size: 25 and 50 kDa for Rabbit IgG and Serum, 25 kDa for F(c) and F(ab). Rabbit F(c) migrates slightly higher.