

## **Product datasheet for TA398057**

## OriGene Technologies, Inc.

9620 Medical Center Drive, Ste 200 Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com CN: techsupport@origene.cn

## Sheep IgG (H&L) Antibody Alkaline Phosphatase Conjugated Pre-Adsorbed

**Product data:** 

**Product Type:** Secondary Antibodies

**Product Name:** Sheep IgG (H&L) Antibody Alkaline Phosphatase Conjugated Pre-Adsorbed

**Applications:** ELISA, IHC, WB

Recommended Dilution: WB: 1:500 - 1:2,500

IHC: 1:200 - 1:1,000

ELISA: 1:2,000 - 1:10,000

**Host:** Donkey

Immunogen: Sheep IgG whole molecule

**Formulation:** 0.05 M Tris Chloride, 0.15M Sodium Chloride, 0.001M Magnesium Chloride, 0.0001M Zinc

Chloride, 50% (v/v) Glycerol; pH 8.0

**Concentration:** 1.0 mg/mL - lot specific **Conjugation:** Alkaline Phosphatase

Storage: Store vial at 4° C before opening. DO NOT FREEZE. This product is stable at 4° C as an

undiluted liquid. Dilute only prior to immediate use. Freezing alkaline phosphatase


conjugates will result in a substantial loss of enzymatic activity.

**Note:** Anti-Sheep IgG Alkaline Phosphatase has been tested by ELISA and dot blot and is assayed

against 1.0 ug of Sheep IgG in a standard capture ELISA using pNPP p-nitrophenyl phosphate code # NPP-10 as a substrate for 30 minutes at room temperature. A working dilution of 1:3,000 to 1:14,000 of the reconstitution concentration is suggested for this product.



## **Product images:**



ELISA results of purified Polyclonal Donkey Anti-Sheep IgG Antibody Alkaline Phosphatase Conjugated tested against Sheep IgG. Each well was coated in duplicate with 1.0µg of antigen. The starting dilution of antibody was 5µg/ml and the X-axis represents the Log10 of a 3-fold dilution. This titration is a 4-parameter curve fit where the IC50 is defined as the titer of the antibody. Assay performed using Buffer (p/n NPP-B500) and Substrate (p/n NPP-10).