

Product datasheet for TA500064

OriGene Technologies, Inc. 9620 Medical Center Drive, Ste 200

Rockville, MD 20850, US
Phone: +1-888-267-4436
https://www.origene.com
techsupport@origene.com
EU: info-de@origene.com
CN: techsupport@origene.cn

FGF1 Mouse Monoclonal Antibody [Clone ID: OTI4D2]

Product data:

Product Type: Primary Antibodies

Clone Name: OTI4D2
Applications: IF, WB

Recommended Dilution: WB 1:5000~50000, IF 1:100

Reactivity: Human, Mouse, Rat

Host: Mouse Isotype: IgG1

Clonality: Monoclonal

Immunogen: Human recombinant protein fragment corresponding to amino acids 16-155 of human AFGF

(NP_000791) produced in E.coli.

Formulation: PBS (pH 7.3) containing 1% BSA, 50% glycerol and 0.02% sodium azide.

Concentration: 1 mg/ml

Purification: Purified from mouse ascites fluids or tissue culture supernatant by affinity chromatography

(protein A/G)

Conjugation: Unconjugated

Storage: Store at -20°C as received.

Stability: Stable for 12 months from date of receipt.

Predicted Protein Size: 15.8 kDa

Gene Name: fibroblast growth factor 1

Database Link: NP 000791

Entrez Gene 14164 MouseEntrez Gene 25317 RatEntrez Gene 2246 Human

P05230





Background:


FGF1 is a member of the fibroblast growth factor (FGF) family. FGF family members possess broad mitogenic and cell survival activities, and are involved in a variety of biological processes, including embryonic development, cell growth, morphogenesis, tissue repair, tumor growth and invasion. This protein functions as a modifier of endothelial cell migration and proliferation, as well as an angiogenic factor. It acts as a mitogen for a variety of mesoderm- and neuroectoderm-derived cells in vitro, thus is thought to be involved in organogenesis. Three alternatively spliced variants encoding different isoforms have been described.


Synonyms: AFGF; ECGF; ECGF-beta; ECGFA; ECGFB; FGF-1; FGF-alpha; FGFA; GLIO703; HBGF-1; HBGF1

Protein Families: Druggable Genome, Secreted Protein

Protein Pathways: MAPK signaling pathway, Melanoma, Pathways in cancer, Regulation of actin cytoskeleton

Product images:






HEK293T cells were transfected with the pCMV6-ENTRY control (Cat# [PS100001], Left lane) or pCMV6-ENTRY AFGF (Cat# [RC207434], Right lane) cDNA for 48 hrs and lysed. Equivalent amounts of cell lysates (5 ug per lane) were separated by SDS-PAGE and immunoblotted with anti-AFGF (Cat# TA500064). Positive lysates [LY400278] (100ug) and [LC400278] (20ug) can be purchased separately from OriGene.

aFGF antibody (4D2) at 1:50000 dilution + recombinant Human aFGF (Cat# [RC207434])





Anti-AFGF mouse monoclonal antibody (TA500064) immunofluorescent staining of COS7 cells transiently transfected by pCMV6-ENTRY AFGF ([RC207434]).