

## **Product datasheet for TA500204**

# OriGene Technologies, Inc.

9620 Medical Center Drive, Ste 200 Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com CN: techsupport@origene.cn

## **IL3 Mouse Monoclonal Antibody [Clone ID: OTI5G7H9]**

#### **Product data:**

**Product Type:** Primary Antibodies

Clone Name: OTI5G7H9

Applications: WB

Recommended Dilution: WB 1:1000

Reactivity: Human

**Host:** Mouse

**Isotype:** IgG1

Clonality: Monoclonal

Immunogen: Recombinant protein expressed in E.coli corresponding to amino acids 20-152 of human IL-3

**Formulation:** PBS (pH 7.3) containing 1% BSA, 50% glycerol and 0.02% sodium azide.

Concentration: 1 mg/ml

**Purification:** Purified from mouse ascites fluids or tissue culture supernatant by affinity chromatography

(protein A/G)

Conjugation: Unconjugated

**Storage:** Store at -20°C as received.

**Stability:** Stable for 12 months from date of receipt.

**Predicted Protein Size:** 17.2 kDa

Gene Name: interleukin 3

Database Link: NP 000579

Entrez Gene 3562 Human

P08700

**Background:** The protein encoded by IL-3 is a potent growth promoting cytokine. This cytokine is capable

of supporting the proliferation of a broad range of hematopoietic cell types. It is involved in a variety of cell activities such as cell growth, differentiation and apoptosis. This cytokine has been shown to also possess neurotrophic activity, and it may be associated with neurologic

disorders.

Synonyms: IL-3; MCGF; MULTI-CSF




#### IL3 Mouse Monoclonal Antibody [Clone ID: OTI5G7H9] - TA500204

**Protein Families:** Druggable Genome, Secreted Protein

Protein Pathways: Apoptosis, Asthma, Cytokine-cytokine receptor interaction, Fc epsilon RI signaling pathway,

Hematopoietic cell lineage, Jak-STAT signaling pathway

## **Product images:**



HEK293T cells were transfected with the pCMV6-ENTRY control (Left lane) or pCMV6-ENTRY IL-3 ([RC210109], Right lane) cDNA for 48 hrs and lysed. Equivalent amounts of cell lysates (5 ug per lane) were separated by SDS-PAGE and immunoblotted with anti-IL-3. Positive lysates [LY424621] (100ug) and [LC424621] (20ug) can be purchased separately from OriGene.