

Product datasheet for TA500281

SOX17 Mouse Monoclonal Antibody [Clone ID: OTI2B6]


Product data:

Product Type:	Primary Antibodies
Clone Name:	OTI2B6
Applications:	IF, IHC, WB
Recommended Dilution:	WB 1:1000; IHC 1:50
Reactivity:	Human, Mouse, Rat, Dog
Host:	Mouse
Isotype:	IgG2b
Clonality:	Monoclonal
Immunogen:	Recombinant protein expressed in E.coli corresponding to amino acids 177-414 of human SOX17
Formulation:	PBS (pH 7.3) containing 1% BSA, 50% glycerol and 0.02% sodium azide.
Concentration:	0.15 mg/ml
Purification:	Purified from mouse ascites fluids or tissue culture supernatant by affinity chromatography (protein A/G)
Storage:	Store at -20°C as received.
Stability:	Stable for 12 months from date of receipt.
Predicted Protein Size:	43.9 kDa
Gene Name:	SRY-box transcription factor 17
Database Link:	NP_071899 Entrez Gene 20671 MouseEntrez Gene 312936 RatEntrez Gene 486955 DogEntrez Gene 64321 Human
Background:	SOX17 is a member of the SOX (SRY-related HMG-box) family of transcription factors involved in the regulation of embryonic development and in the determination of the cell fate. It may act as a transcriptional regulator after forming a protein complex with other proteins
Synonyms:	VUR3
Protein Families:	Transcription Factors
Protein Pathways:	Wnt signaling pathway




[View online »](#)

Product images:




HEK293T cells were transfected with the pCMV6-ENTRY control (Left lane) or pCMV6-ENTRY SOX17 ([RC220888], Right lane) cDNA for 48 hrs and lysed. Equivalent amounts of cell lysates (5 ug per lane) were separated by SDS-PAGE and immunoblotted with anti-SOX17. Positive lysates [LY411669] (100ug) and [LC411669] (20ug) can be purchased separately from OriGene.




Western blot analysis of extracts (35ug) from 9 different cell lines by using anti-SOX17 monoclonal antibody.



Immunohistochemical staining of paraffin-embedded Human endometrium tissue within the normal limits using anti-SOX17 mouse monoclonal antibody. (TA500281). Dilution Factor: 1:50; heat-induced epitope retrieval by 10mM citric buffer, pH6.0, 100°C for 10min.



Immunohistochemical staining of paraffin-embedded Adenocarcinoma of Human endometrium tissue using anti-SOX17 mouse monoclonal antibody. (TA500281). Dilution Factor: 1:50; heat-induced epitope retrieval by 10mM citric buffer, pH6.0, 100°C for 10min.



Anti-SOX17 mouse monoclonal antibody (TA500281) immunofluorescent staining of COS7 cells transiently transfected by pCMV6-ENTRY SOX17 ([RC220888]).