

Product datasheet for TA500341AM

OriGene Technologies, Inc.

9620 Medical Center Drive, Ste 200 Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com CN: techsupport@origene.cn

GFAP Mouse Monoclonal Antibody (Biotin conjugated) [Clone ID: OTI2D8]

Product data:

Product Type: Primary Antibodies

Clone Name: OTI2D8
Applications: IF, WB

Recommended Dilution: WB 1:1000~2000, IF 1:50~100

Reactivity: Human, Rat, Monkey, Mouse

Host: Mouse Isotype: IgG2b

Clonality: Monoclonal

Immunogen: Full length human recombinant protein of human GFAP (NP_002046) produced in HEK293T

cell

Formulation: PBS (pH 7.3) containing 1% BSA, 50% glycerol and 0.02% sodium azide.

Concentration: 0.5 mg/ml

Purification: Purified from mouse ascites fluids or tissue culture supernatant by affinity chromatography

(protein A/G)

Conjugation: Biotin

Storage: Store at -20°C as received.

Stability: Stable for 12 months from date of receipt.

Predicted Protein Size: 49.9 kDa

Gene Name: glial fibrillary acidic protein

Database Link: NP 002046

Entrez Gene 14580 MouseEntrez Gene 24387 RatEntrez Gene 712941 MonkeyEntrez Gene

<u>2670 Human</u>

P14136

Background: This gene encodes one of the major intermediate filament proteins of mature astrocytes. It is

used as a marker to distinguish astrocytes from other glial cells during development. Mutations in this gene cause Alexander disease, a rare disorder of astrocytes in the central nervous system. Alternative splicing results in multiple transcript variants encoding distinct

isoforms.








Synonyms: ALXDRD

Protein Families: ES Cell Differentiation/IPS

Product images:








HEK293T cells were transfected with the pCMV6-ENTRY control (Left lane) or pCMV6-ENTRY GFAP ([RC204548], Right lane) cDNA for 48 hrs and lysed. Equivalent amounts of cell lysates (5 ug per lane) were separated by SDS-PAGE and immunoblotted with anti-GFAP. Positive lysates [LY419563] (100ug) and [LC419563] (20ug) can be purchased separately from OriGene.


Western blot analysis of extracts (35ug) from 9 different cell lines by using anti-GFAP monoclonal antibody.

Western blot analysis of extracts (35ug) from 1 cell line lysate by using anti-GFAP monoclonal antibody (1:500).






Anti-GFAP mouse monoclonal antibody ([TA500341]) immunofluorescent staining of COS7 cells transiently transfected by pCMV6-ENTRY GFAP ([RC204548]).



Immunofluorescent staining of A549 cells using anti-GFAP mouse monoclonal antibody ([TA500341]).



Immunofluorescent staining of SNB-19 cells using anti-GFAP antibody ([TA500341]/green, upper left; DAPI/blue, lower left; MERGED, upper right) or Isotype control (MERGED, lower right) (1:100).