

## Product datasheet for TA500342BM

#### OriGene Technologies, Inc.

9620 Medical Center Drive, Ste 200 Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com CN: techsupport@origene.cn

### **GFAP Mouse Monoclonal Antibody (HRP conjugated) [Clone ID: OTI1B3]**

#### **Product data:**

**Product Type:** Primary Antibodies

Clone Name: OTI1B3
Applications: WB

Recommended Dilution: WB 1:2000

Reactivity: Human, Mouse, Rat

Host: Mouse Isotype: IgG2b

Clonality: Monoclonal

**Immunogen:** Full-length protein expressed in 293T cell transfected with human GFAP expression vector

**Formulation:** PBS (pH 7.3) containing 1% BSA, 50% glycerol.

**Concentration:** 0.5 mg/ml

**Purification:** Purified from mouse ascites fluids or tissue culture supernatant by affinity chromatography

(protein A/G)

Conjugation: HRP

**Storage:** Store at -20°C as received.

**Stability:** Stable for 12 months from date of receipt.

Predicted Protein Size: 49.88 kDa

**Gene Name:** glial fibrillary acidic protein

Database Link: NP 002046

Entrez Gene 14580 MouseEntrez Gene 24387 RatEntrez Gene 2670 Human

P14136

**Background:** This gene encodes one of the major intermediate filament proteins of mature astrocytes. It is

used as a marker to distinguish astrocytes from other glial cells during development.

Mutations in this gene cause Alexander disease, a rare disorder of astrocytes in the central nervous system. Alternative splicing results in multiple transcript variants encoding distinct

isoforms.


Synonyms: ALXDRD






**Protein Families:** ES Cell Differentiation/IPS

# **Product images:**



HEK293T cells were transfected with the pCMV6-ENTRY control (Left lane) or pCMV6-ENTRY GFAP ([RC204548], Right lane) cDNA for 48 hrs and lysed. Equivalent amounts of cell lysates (5 ug per lane) were separated by SDS-PAGE and immunoblotted with anti-GFAP (1:500).



Western blot analysis of extracts (35ug) from 1 cell line lysate and 1 tissue lysate by using anti-GFAP monoclonal antibody (1:500).