

Product datasheet for TA500493M

OriGene Technologies, Inc.

9620 Medical Center Drive, Ste 200 Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com CN: techsupport@origene.cn

SCY1 like 3 (SCYL3) Mouse Monoclonal Antibody [Clone ID: OTI4F10]

Product data:

Product Type: Primary Antibodies

Clone Name: OTI4F10
Applications: IF, IHC, WB

Recommended Dilution: WB 1:2000 IHC 1:50 IF 1:100 Flow 1:1,000

Reactivity: Human, Monkey

Host: Mouse Isotype: IgG1

Clonality: Monoclonal

Immunogen: Full-length protein expressed in 293T cell transfected with human SCYL3 expression vector

Formulation: PBS (pH 7.3) containing 1% BSA, 50% glycerol and 0.02% sodium azide.

Concentration: 1 mg/ml

Purification: Purified from mouse ascites fluids or tissue culture supernatant by affinity chromatography

(protein A/G)

Conjugation: Unconjugated

Storage: Store at -20°C as received.

Stability: Stable for 12 months from date of receipt.

Predicted Protein Size: 82.8 kDa

Gene Name: SCY1 like pseudokinase 3

Database Link: NP 065156

Entrez Gene 701768 MonkeyEntrez Gene 57147 Human

Q8IZE3

Background: May play a role in regulating cell adhesion/migration complexes in migrating cells


Synonyms: PACE-1; PACE1

Protein Families: Druggable Genome, Protein Kinase







Product images:



HEK293T cells were transfected with the pCMV6-ENTRY control (Left lane) or pCMV6-ENTRY SCYL3 ([RC204859], Right lane) cDNA for 48 hrs and lysed. Equivalent amounts of cell lysates (5 ug per lane) were separated by SDS-PAGE and immunoblotted with anti-SCYL3. Positive lysates [LY412474] (100ug) and [LC412474] (20ug) can be purchased separately from OriGene.




Western blot analysis of extracts (35ug) from 9 different cell lines by using anti-SCYL3 monoclonal antibody.



Immunohistochemical staining of paraffinembedded pancreas tissue within the normal limits using anti-SCYL3mouse monoclonal antibody. Heat-induced epitope retrieval by EDTA solution buffer pH 8.0 at 120°C for 3 min.





Anti-SCYL3 mouse monoclonal antibody ([TA500493]) immunofluorescent staining of COS7 cells transiently transfected by pCMV6-ENTRY SCYL3 ([RC204859]).