

Product datasheet for TA500563BM

OriGene Technologies, Inc.

9620 Medical Center Drive, Ste 200 Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com CN: techsupport@origene.cn

Protein kinase Y linked (PRKY) Mouse Monoclonal Antibody (HRP conjugated) [Clone ID: OTI3D11]

Product data:

Product Type: Primary Antibodies

Clone Name: OTI3D11

Applications: FC, IF

Recommended Dilution: IF 1:100, Flow 1:100

Reactivity: Human
Host: Mouse
Isotype: IgG1

Clonality: Monoclonal

Immunogen: Full length human recombinant protein of human PRKY (NP_002751) produced in HEK293T

cell.

Formulation: PBS (pH 7.3) containing 1% BSA, 50% glycerol.

Concentration: 0.5 mg/ml

Purification: Purified from mouse ascites fluids or tissue culture supernatant by affinity chromatography

(protein A/G)

Conjugation: HRP

Storage: Store at -20°C as received.

Stability: Stable for 12 months from date of receipt.

Predicted Protein Size: 31.7 kDa

Gene Name: protein kinase Y-linked (pseudogene)

Database Link: NP 002751

Entrez Gene 5616 Human

<u>O43930</u>

Background: This gene is similar to the protein kinase, X-linked gene in the pseudoautosomal region of the

X chromsoome. The gene is classified as a transcribed pseudogene because it has lost a coding exon that results in all transcripts being candidates for nonsense-mediated decay (NMD) and unlikely to express a protein. Abnormal recombination between this gene and a

related gene on chromosome X is a frequent cause of XX males and XY females.







Synonyms: OTTHUMP00000033227; protein kinase, Y-linked

Protein Families: Druggable Genome, Protein Kinase

Product images:



Anti-PRKY mouse monoclonal antibody ([TA500563]) immunofluorescent staining of COS7 cells transiently transfected by pCMV6-ENTRY PRKY ([RC210438]).



HEK293T cells transfected with either pCMV6-ENTRY PRKY ([RC210438]) (Red) or empty vector control plasmid (Blue) were immunostained with anti-PRKY mouse monoclonal ([TA500563], Dilution 1:1,000), and then analyzed by flow cytometry.