

Product datasheet for **TA500733**

CD26 (DPP4) Mouse Monoclonal Antibody [Clone ID: OTI11D7]

Product data:

Product Type:	Primary Antibodies
Clone Name:	OTI11D7
Applications:	FC, IF, IHC, WB
Recommended Dilution:	WB 1:500, IHC 1:50, IF 1:100, Flow 1:100
Reactivity:	Human
Host:	Mouse
Isotype:	IgG1
Clonality:	Monoclonal
Immunogen:	Full length human recombinant protein of human DPP4 (NP_001926) produced in HEK293T cell.
Formulation:	PBS (pH 7.3) containing 1% BSA, 50% glycerol and 0.02% sodium azide.
Concentration:	1 mg/ml
Purification:	Purified from mouse ascites fluids or tissue culture supernatant by affinity chromatography (protein A/G)
Conjugation:	Unconjugated
Storage:	Store at -20°C as received.
Stability:	Stable for 12 months from date of receipt.
Predicted Protein Size:	88.3 kDa
Gene Name:	dipeptidyl peptidase 4
Database Link:	NP_001926 Entrez Gene 1803 Human P27487
Background:	The protein encoded by this gene is identical to adenosine deaminase complexing protein-2, and to the T-cell activation antigen CD26. It is an intrinsic membrane glycoprotein and a serine exopeptidase that cleaves X-proline dipeptides from the N-terminus of polypeptides.
Synonyms:	ADABP; ADCP2; CD26; DPPIV; TP103
Protein Families:	Druggable Genome, Protease, Secreted Protein, Transmembrane



[View online »](#)



Product images:


Figure A, Western blot analysis of overexpressed lysates(25ug per lane) from HEK293T cells transfected with empty plasmid ([PS100001], lane 1) , human DPP4 plasmid ([RC209466], lane 2), mouse DPP4 plasmid ([MR222698], lane 3) using anti-DPP4 antibody TA500733 (1:500). Figure B, Western blot analysis of the same samples as figure A with anti-DDK antibody ([TA180144], 1:1000)



Western blot analysis of extracts (50ug per lane) from 2 cell lines lysates by using anti-DPP4 monoclonal antibody(TA500733, 1:500)




Figure from citation: Western blot analysis of protein levels of DPP4/8/9 in 293E cells transfected with pcDNA3.1 (Mock), pcDNA3.1-hDPP8 (DPP8) and pcDNA3.1-hDPP9 (DPP9), the purified recombinant human DPP4 protein (rhDPP4) was used as a positive control for the DPP4 antibody, antibodies targeting human DPP4/8/9 (TA500733/[TA504366]/[TA504040]) and β -actin ([TA310155]) were purchased from OriGene. [View Citation](#)





Figure from citation: Western Blot of DPP4 protein level by using anti-DPP4 antibody in mouse MLE15 cells. [View Citation](#)



Immunohistochemical staining of paraffin-embedded liver tissue within the normal limits using anti-DPP4 mouse monoclonal antibody. Heat-induced epitope retrieval by EDTA solution buffer pH 8.0 at 120°C for 3 min.







Figure from citation: Immunohistochemistry of DPP4 protein level by using anti-DPP4 antibody in lungs harvested from BALB/c mice at day 3. Dilution: 1:800 [View Citation](#). Heat-induced epitope retrieval by EDTA solution buffer pH 8.0 at 120°C for 3 min.




Immunohistochemical staining of paraffin-embedded normal human thyroid tissue using anti-DPP4 C/N TA500733 clone OTI11D7 mouse monoclonal antibody. HIER Citrate buffer pH6 ([B05-100]) at 110C for 10 min, anti-DPP4 diluted to 1:200. Detection was done with Polink1 Broad Mouse and Rabbit C/N [D11-18] with DAB Kit. Image on left is at 10x magnification and image on the right is at 40x magnification of area indicated by red arrow on 10x.



Immunohistochemical staining of paraffin-embedded normal human kidney tissue using anti-DPP4 C/N TA500733 clone OTI11D7 mouse monoclonal antibody. HIER Citrate buffer pH6 ([B05-100]) at 110C for 10 min, anti-DPP4 diluted to 1:100. Detection was done with Polink1 Broad Mouse and Rabbit C/N [D11-18] with DAB Kit. Image on left is at 10x magnification and image on the right is at 40x magnification of area indicated by red arrow on 10x.



Anti-DPP4 mouse monoclonal antibody (TA500733) immunofluorescent staining of COS7 cells transiently transfected by pCMV6-ENTRY DPP4 ([RC209466]).



Flow cytometric analysis of HeLa cells, using anti-DPP4 antibody (TA500733), (Red) compared to a nonspecific negative control antibody (TA50011) (Blue).