

Product datasheet for TA500806

OriGene Technologies, Inc.

9620 Medical Center Drive, Ste 200 Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com CN: techsupport@origene.cn

TTLL12 Mouse Monoclonal Antibody [Clone ID: OTI12B7]

Product data:

Product Type: Primary Antibodies

Clone Name: OTI12B7

Applications: FC, IF, WB

Recommended Dilution: WB 1:2000, IF 1:100, Flow 1:100

Reactivity: Human, Mouse, Rat

Host: Mouse Isotype: IgG1

Clonality: Monoclonal

Immunogen: Full length human recombinant protein of human TTLL12 (NP_055955) produced in HEK293T

cell.

Formulation: PBS (pH 7.3) containing 1% BSA, 50% glycerol and 0.02% sodium azide.

Concentration: 0.73 mg/ml

Purification: Purified from mouse ascites fluids or tissue culture supernatant by affinity chromatography

(protein A/G)

Conjugation: Unconjugated

Storage: Store at -20°C as received.

Stability: Stable for 12 months from date of receipt.

Predicted Protein Size: 74.4 kDa

Gene Name: tubulin tyrosine ligase like 12

Database Link: NP 055955

Entrez Gene 300105 RatEntrez Gene 23170 Human


Q14166

Synonyms: dJ526I14.2







Product images:



HEK293T cells were transfected with the pCMV6-ENTRY control (Left lane) or pCMV6-ENTRY TTLL12 ([RC200841], Right lane) cDNA for 48 hrs and lysed. Equivalent amounts of cell lysates (5 ug per lane) were separated by SDS-PAGE and immunoblotted with anti-TTLL12. Positive lysates [LY402417] (100ug) and [LC402417] (20ug) can be purchased separately from OriGene.




Equivalent amounts of cell lysates (10 ug per lane) of wild-type 293T cells (WT, Cat# LC810293T) and TTLL12-Knockout 293T cells (KO, Cat# [LC811864]) were separated by SDS-PAGE and immunoblotted with anti-TTLL12 monoclonal antibody TA500806, (1:500). Then the blotted membrane was stripped and reprobed with antibactin antibody ([TA811000]) as a loading control.




Anti-TTLL12 mouse monoclonal antibody (TA500806) immunofluorescent staining of COS7 cells transiently transfected by pCMV6-ENTRY TTLL12 ([RC200841]).







Immunofluorescent staining of HepG2 cells using anti-TTLL12 mouse monoclonal antibody (TA500806).



HEK293T cells transfected with either pCMV6-ENTRY TTLL12 ([RC200841]) (Red) or empty vector control plasmid (Blue) were immunostained with anti-TTLL12 mouse monoclonal (TA500806, Dilution 1:1,000), and then analyzed by flow cytometry.



Flow cytometric analysis of Hela cells, using anti-TTLL12 antibody (TA500806), (Red) compared to a nonspecific negative control antibody (TA50011) (Blue).



Flow cytometric analysis of Jurkat cells, using anti-TTLL12 antibody (TA500806), (Red) compared to a nonspecific negative control antibody (TA50011) (Blue).