

# **Product datasheet for TA500820**

#### OriGene Technologies, Inc.

9620 Medical Center Drive, Ste 200 Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com CN: techsupport@origene.cn

## DCXR Mouse Monoclonal Antibody [Clone ID: OTI4D11]

#### **Product data:**

**Product Type:** Primary Antibodies

Clone Name: OTI4D11

**Applications:** FC, IF, IHC, WB

**Recommended Dilution:** WB 1:500, IHC 1:50, IF 1:100, Flow 1:100

Reactivity: Human
Host: Mouse
Isotype: IgG1

Clonality: Monoclonal

Immunogen: Full length human recombinant protein of human DCXR (NP\_057370) produced in HEK293T

cell

**Formulation:** PBS (pH 7.3) containing 1% BSA, 50% glycerol and 0.02% sodium azide.

**Concentration:** 0.53 mg/ml

**Purification:** Purified from mouse ascites fluids or tissue culture supernatant by affinity chromatography

(protein A/G)

Conjugation: Unconjugated

**Storage:** Store at -20°C as received.

**Stability:** Stable for 12 months from date of receipt.

**Predicted Protein Size:** 25.9 kDa

**Gene Name:** dicarbonyl and L-xylulose reductase

Database Link: NP 057370

Entrez Gene 51181 Human

Q7Z4W1

Background: DCXR is an enzyme that has both diacetyl reductase (EC 1.1.1.5) and L-xylulose reductase (EC

1.1.1.10) activities

Synonyms: DCR; HCR2; HCRII; KIDCR; P34H; PNTSU; SDR20C1; XR


**Protein Families:** Druggable Genome

**Protein Pathways:** Metabolic pathways, Pentose and glucuronate interconversions







### **Product images:**



HEK293T cells were transfected with the pCMV6-ENTRY control (Cat# [PS100001], Left lane) or pCMV6-ENTRY DCXR (Cat# [RC200023], Right lane) cDNA for 48 hrs and lysed. Equivalent amounts of cell lysates (5 ug per lane) were separated by SDS-PAGE and immunoblotted with anti-DCXR antibody (Cat# TA500820). Positive lysates [LY402535] (100ug) and [LC402535] (20ug) can be purchased separately from OriGene.




Immunohistochemical staining of paraffinembedded Carcinoma of liver tissue using anti-DCXRmouse monoclonal antibody. Heat-induced epitope retrieval by EDTA solution buffer pH 8.0 at 120°C for 3 min.



Anti-DCXR mouse monoclonal antibody (TA500820) immunofluorescent staining of COS7 cells transiently transfected by pCMV6-ENTRY DCXR ([RC200023]).





HEK293T cells transfected with either pCMV6-ENTRY DCXR ([RC200023]) (Red) or empty vector control plasmid (Blue) were immunostained with anti-DCXR mouse monoclonal (TA500820), and then analyzed by flow cytometry.