

Product datasheet for TA500891BM

OriGene Technologies, Inc.

9620 Medical Center Drive, Ste 200 Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com CN: techsupport@origene.cn

Pleckstrin (PLEK) Mouse Monoclonal Antibody (HRP conjugated) [Clone ID: OTI4G6]

Product data:

Product Type: Primary Antibodies

Clone Name: OTI4G6

Applications: FC, IHC, WB

Recommended Dilution: WB 1:500~2000, FLOW 1:100 IHC: 1:150

Reactivity: Human, Mouse, Rat

Host: Mouse Isotype: IgG2b

Clonality: Monoclonal

Immunogen: Full length human recombinant protein of human PLEK (NP_002665) produced in HEK293T

cell

Formulation: PBS (pH 7.3) containing 1% BSA, 50% glycerol.

Concentration: 0.5 mg/ml

Purification: Purified from mouse ascites fluids or tissue culture supernatant by affinity chromatography

(protein A/G)

Conjugation: HRP

Storage: Store at -20°C as received.

Stability: Stable for 12 months from date of receipt.

Predicted Protein Size: 39.9 kDa

Gene Name: pleckstrin

Database Link: NP 002655

Entrez Gene 56193 MouseEntrez Gene 364206 RatEntrez Gene 5341 Human

P08567


Synonyms: P47

Protein Families: Druggable Genome







Product images:



HEK293T cells were transfected with the pCMV6-ENTRY control (Left lane) or pCMV6-ENTRY PLEK ([RC203780], Right lane) cDNA for 48 hrs and lysed. Equivalent amounts of cell lysates (5 ug per lane) were separated by SDS-PAGE and immunoblotted with anti-PLEK. Positive lysates [LY419171] (100ug) and [LC419171] (20ug) can be purchased separately from OriGene.




Immunohistochemical staining of paraffinembedded Human lymph node tissue within the normal limits using anti-PLEK mouse monoclonal antibody. ([TA500891])



Immunohistochemical staining of paraffinembedded Human lymphoma tissue using anti-PLEK mouse monoclonal antibody. ([TA500891])





HEK293T cells transfected with either [RC203780] overexpress plasmid (Red) or empty vector control plasmid (Blue) were immunostained by anti-PLEK antibody ([TA500891]), and then analyzed by flow cytometry.