

Product datasheet for TA500960M

OriGene Technologies, Inc.

9620 Medical Center Drive, Ste 200 Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com CN: techsupport@origene.cn

BHMT Mouse Monoclonal Antibody [Clone ID: OTI10B3]

Product data:

Product Type: Primary Antibodies

Clone Name: OTI10B3

Applications: FC, IF, WB

Recommended Dilution: WB 1:2000, IF 1:100, FLOW 1:100

Reactivity: Human, Mouse, Rat

Host: Mouse Isotype: IgG2b

Clonality: Monoclonal

Immunogen: Full length human recombinant protein of human BHMT (NP_001704) produced in HEK293T

cell

Formulation: PBS (pH 7.3) containing 1% BSA, 50% glycerol and 0.02% sodium azide.

Concentration: 0.94 mg/ml

Purification: Purified from mouse ascites fluids or tissue culture supernatant by affinity chromatography

(protein A/G)

Conjugation: Unconjugated

Storage: Store at -20°C as received.

Stability: Stable for 12 months from date of receipt.

Predicted Protein Size: 44.8 kDa

Gene Name: betaine--homocysteine S-methyltransferase

Database Link: NP 001704

Entrez Gene 12116 MouseEntrez Gene 81508 RatEntrez Gene 635 Human

Q93088

Background: This gene encodes a cytosolic enzyme that catalyzes the conversion of betaine and

homocysteine to dimethylglycine and methionine, respectively. Defects in this gene could

lead to hyperhomocyst(e)inemia, but such a defect has not yet been observed.

Synonyms: BHMT1; HEL-S-61p







Protein Pathways:

Cysteine and methionine metabolism, Glycine, serine and threonine metabolism, Metabolic pathways


Product images:



HEK293T cells were transfected with the pCMV6-ENTRY control (Left lane) or pCMV6-ENTRY BHMT ([RC203148], Right lane) cDNA for 48 hrs and lysed. Equivalent amounts of cell lysates (5 ug per lane) were separated by SDS-PAGE and immunoblotted with anti-BHMT. Positive lysates [LY400644] (100ug) and [LC400644] (20ug) can be purchased separately from OriGene.




Anti-BHMT mouse monoclonal antibody ([TA500960]) immunofluorescent staining of COS7 cells transiently transfected by pCMV6-ENTRY BHMT ([RC203148]).



Flow cytometric Analysis of Jurkat cells, using anti-BHMT antibody ([TA500960]), (Red), compared to a nonspecific negative control antibody (TA50011), (Blue).





Flow cytometric Analysis of Hela cells, using anti-BHMT antibody ([TA500960]), (Red), compared to a nonspecific negative control antibody (TA50011), (Blue).