

Product datasheet for TA501107AM

OriGene Technologies, Inc.

9620 Medical Center Drive, Ste 200 Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com CN: techsupport@origene.cn

KIAA1576 (VAT1L) Mouse Monoclonal Antibody (Biotin conjugated) [Clone ID: OTI1H3]

Product data:

Product Type: Primary Antibodies

Clone Name: OTI1H3

Applications: FC, IF, IHC, WB

Recommended Dilution: WB 1:2000, IHC 1:50, IF 1:100, Flow 1:100

Reactivity: Human, Mouse, Rat

Host: Mouse Isotype: IgG1

Clonality: Monoclonal

Immunogen: Full length human recombinant protein of human VAT1L (NP_065978) produced in HEK293T

cell

Formulation: PBS (pH 7.3) containing 1% BSA, 50% glycerol and 0.02% sodium azide.

Concentration: 0.5 mg/ml

Purification: Purified from mouse ascites fluids or tissue culture supernatant by affinity chromatography

(protein A/G)

Conjugation: Biotin

Storage: Store at -20°C as received.

Stability: Stable for 12 months from date of receipt.

Predicted Protein Size: 45.7 kDa

Gene Name: vesicle amine transport 1 like

Database Link: NP 065978

Entrez Gene 270097 MouseEntrez Gene 57687 Human

Q9HCJ6


Synonyms: KIAA1576

Protein Families: Druggable Genome







Product images:



HEK293T cells were transfected with the pCMV6-ENTRY control (Cat# [PS100001], Left lane) or pCMV6-ENTRY VAT1L (Cat# [RC207266], Right lane) cDNA for 48 hrs and lysed. Equivalent amounts of cell lysates (5 ug per lane) were separated by SDS-PAGE and immunoblotted with anti-VAT1L(Cat# [TA501107]). Positive lysates [LY412225] (100ug) and [LC412225] (20ug) can be purchased separately from OriGene.




Western blot analysis of extracts (10ug) from 3 different cell lines by using anti-VAT1L monoclonal antibody (1:200).




Immunohistochemical staining of paraffinembedded Adenocarcinoma of colon tissue using anti-VAT1L mouse monoclonal antibody. (Heatinduced epitope retrieval by 10mM citric buffer, pH6.0, 100°C for 10min, [TA501107], Dilution 1:50)






Immunohistochemical staining of paraffinembedded Carcinoma of liver tissue using anti-VAT1L mouse monoclonal antibody. (Heat-induced epitope retrieval by 10mM citric buffer, pH6.0, 100°C for 10min, [TA501107], Dilution 1:50)



Anti-VAT1L mouse monoclonal antibody ([TA501107]) immunofluorescent staining of COS7 cells transiently transfected by pCMV6-ENTRY VAT1L ([RC207266]).



HEK293T cells transfected with either pCMV6-ENTRY VAT1L ([RC207266]) (Red) or empty vector control plasmid (Blue) were immunostained with anti-VAT1L mouse monoclonal ([TA501107]), and then analyzed by flow cytometry.