

Product datasheet for TA501229BM

OriGene Technologies, Inc.

9620 Medical Center Drive, Ste 200 Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com CN: techsupport@origene.cn

BMAL1 (ARNTL) Mouse Monoclonal Antibody (HRP conjugated) [Clone ID: OTI1D1]

Product data:

Product Type: Primary Antibodies

Clone Name: OTI1D1

Applications: FC, IF, IHC, WB

Recommended Dilution: WB 1:500, IF 1:100, FLOW 1:100

Reactivity: Human, Mouse, Rat

Host: Mouse Isotype: IgG1

Clonality: Monoclonal

Immunogen: Full length human recombinant protein of human ARNTL (NP_001169) produced in HEK293T

cell.

Formulation: PBS (pH 7.3) containing 1% BSA, 50% glycerol.

Concentration: 0.5 mg/ml

Purification: Purified from mouse ascites fluids or tissue culture supernatant by affinity chromatography

(protein A/G)

Conjugation: HRP

Storage: Store at -20°C as received.

Stability: Stable for 12 months from date of receipt.

Predicted Protein Size: 68.5 kDa

Gene Name: aryl hydrocarbon receptor nuclear translocator like

Database Link: NP 001169

Entrez Gene 11865 MouseEntrez Gene 29657 RatEntrez Gene 406 Human

O00327

Background: The protein encoded by this gene is a basic helix-loop-helix protein that forms a heterodimer

with CLOCK. This complex binds an E-box upstream of the PER1 gene, activating this gene and possibly other circadian rhythym-associated genes. Three transcript variants encoding

two different isoforms have been found for this gene. [provided by RefSeq]

Synonyms: bHLHe5; BMAL1; BMAL1c; JAP3; MOP3; PASD3; TIC







Protein Families: Druggable Genome, Transcription Factors

Protein Pathways: Circadian rhythm - mammal

Product images:



HEK293T cells were transfected with the pCMV6-ENTRY control (Left lane) or pCMV6-ENTRY ARNTL ([RC207870], Right lane) cDNA for 48 hrs and lysed. Equivalent amounts of cell lysates (5 ug per lane) were separated by SDS-PAGE and immunoblotted with anti-ARNTL. Positive lysates [LY400474] (100ug) and [LC400474] (20ug) can be purchased separately from OriGene.



Western blot analysis of extracts (35ug) from 9 different cell lines by using anti-ARNTL monoclonal antibody (HepG2: human; HeLa: human; SVT2: mouse; A549: human; COS7: monkey; Jurkat: human; MDCK: canine; PC12: rat; MCF7: human) (1:200).






Figure from citation: Immunohistochemistry of ARNTL (BMAL1) protein level by using anti-ARNTL antibody in coronal sections of the main olfactory bulb (MOB) portion of 7-day-old rabbits. Dilution: 1:200 <u>View Citation</u>




Anti-ARNTL mouse monoclonal antibody ([TA501229]) immunofluorescent staining of COS7 cells transiently transfected by pCMV6-ENTRY ARNTL ([RC207870]).



HEK293T cells transfected with either [RC207870] overexpress plasmid (Red) or empty vector control plasmid (Blue) were immunostained by anti-ARNTL antibody ([TA501229]), and then analyzed by flow cytometry.





Flow cytometric Analysis of Jurkat cells, using anti-ARNTL antibody ([TA501229]), (Red), compared to a nonspecific negative control antibody (TA50011), (Blue).