

Product datasheet for **TA501229M**

BMAL1 (ARNTL) Mouse Monoclonal Antibody [Clone ID: OT1D1]

Product data:

Product Type:	Primary Antibodies
Clone Name:	OT1D1
Applications:	FC, IF, IHC
Recommended Dilution:	IHC 1:200, IF 1:100, FLOW 1:100
Reactivity:	Human, Mouse, Rat
Host:	Mouse
Isotype:	IgG1
Clonality:	Monoclonal
Immunogen:	Full length human recombinant protein of human ARNTL (NP_001169) produced in HEK293T cell.
Formulation:	PBS (pH 7.3) containing 1% BSA, 50% glycerol and 0.02% sodium azide.
Concentration:	1 mg/ml
Purification:	Purified from mouse ascites fluids or tissue culture supernatant by affinity chromatography (protein A/G)
Conjugation:	Unconjugated
Storage:	Store at -20°C as received.
Stability:	Stable for 12 months from date of receipt.
Predicted Protein Size:	68.5 kDa
Gene Name:	aryl hydrocarbon receptor nuclear translocator like
Database Link:	NP_001169 Entrez Gene 11865 Mouse Entrez Gene 29657 Rat Entrez Gene 406 Human O00327
Background:	The protein encoded by this gene is a basic helix-loop-helix protein that forms a heterodimer with CLOCK. This complex binds an E-box upstream of the PER1 gene, activating this gene and possibly other circadian rhythm-associated genes. Three transcript variants encoding two different isoforms have been found for this gene. [provided by RefSeq]
Synonyms:	bHLHe5; BMAL1; BMAL1c; JAP3; MOP3; PASD3; TIC



[View online »](#)

Protein Families: Druggable Genome, Transcription Factors

Protein Pathways: Circadian rhythm - mammal

Product images:







Figure from citation: Immunohistochemistry of ARNTL (BMAL1) protein level by using anti-ARNTL antibody in coronal sections of the main olfactory bulb (MOB) portion of 7-day-old rabbits. Dilution: 1:200 [View Citation](#). Heat-induced epitope retrieval by EDTA solution buffer pH 8.0 at 120°C for 3 min.



Anti-ARNTL mouse monoclonal antibody ([TA501229]) immunofluorescent staining of COS7 cells transiently transfected by pCMV6-ENTRY ARNTL ([RC207870]).



HEK293T cells transfected with either [RC207870] overexpress plasmid (Red) or empty vector control plasmid (Blue) were immunostained by anti-ARNTL antibody ([TA501229]), and then analyzed by flow cytometry.



Flow cytometric Analysis of Jurkat cells, using anti-ARNTL antibody ([TA501229]), (Red), compared to a nonspecific negative control antibody (TA50011), (Blue).