

## **Product datasheet for TA501306**

# OriGene Technologies, Inc. 9620 Medical Center Drive, Ste 200 Rockville, MD 20850 LIS

Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com CN: techsupport@origene.cn

### MPP3 Mouse Monoclonal Antibody [Clone ID: OTI8B11]

#### **Product data:**

**Product Type:** Primary Antibodies

Clone Name: OTI8B11
Applications: IF, IHC, WB

Recommended Dilution: WB 1:2000, IF 1:100, IHC 1:150

Reactivity: Human, Mouse, Rat

Host: Mouse Isotype: IgG1

Clonality: Monoclonal

**Immunogen:** Full length human recombinant protein of human MPP3 (NP\_001923) produced in HEK293T

cell

**Formulation:** PBS (pH 7.3) containing 1% BSA, 50% glycerol and 0.02% sodium azide.

Concentration: 1 mg/ml

**Purification:** Purified from mouse ascites fluids or tissue culture supernatant by affinity chromatography

(protein A/G)

**Conjugation:** Unconjugated

**Storage:** Store at -20°C as received.

**Stability:** Stable for 12 months from date of receipt.

**Predicted Protein Size:** 66.0 kDa

**Gene Name:** membrane palmitoylated protein 3

Database Link: NP 001923

Entrez Gene 13384 MouseEntrez Gene 114202 RatEntrez Gene 4356 Human

013368






#### Background:

This gene product is a member of a family of membrane-associated proteins termed MAGUKs (membrane-associated guanylate kinase homologs). MAGUKs interact with the cytoskeleton and regulate cell proliferation, signaling pathways, and intracellular junctions. This protein contains a conserved sequence, called the SH3 (src homology 3) motif, found in several other proteins that associate with the cytoskeleton and are suspected to play important roles in signal transduction. Alternatively spliced transcript variants have been identified. One transcript variant is experimentally supported, but it doesn't encode a protein. [provided by RefSeq]


Synonyms: DLG3

**Protein Families:** Druggable Genome

## **Product images:**




HEK293T cells were transfected with the pCMV6-ENTRY control (Left lane) or pCMV6-ENTRY MPP3 ([RC208903], Right lane) cDNA for 48 hrs and lysed. Equivalent amounts of cell lysates (5 ug per lane) were separated by SDS-PAGE and immunoblotted with anti-MPP3. Positive lysates [LY419634] (100ug) and [LC419634] (20ug) can be purchased separately from OriGene.



Immunohistochemical staining of paraffinembedded Human prostate tissue within the normal limits using anti-MPP3 mouse monoclonal antibody (TA501306) at 1:150 dilution.





Anti-MPP3 mouse monoclonal antibody (TA501306) immunofluorescent staining of COS7 cells transiently transfected by pCMV6-ENTRY MPP3 ([RC208903]).