

Product datasheet for TA501376

9620 Medical Center Drive, Ste 200 Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com CN: techsupport@origene.cn

OriGene Technologies, Inc.

CD5 Mouse Monoclonal Antibody [Clone ID: OTI2B8]

Product data:

Product Type: Primary Antibodies

Clone Name: OTI2B8

Applications: FC, IF, IHC, WB

Recommended Dilution: WB 1:2000, IHC 1:150, IF 1:100, FLOW 1:100

Reactivity: Human
Host: Mouse
Isotype: IgG1

Clonality: Monoclonal

Immunogen: Full length human recombinant protein of human CD5 (NP_055022) produced in HEK293T

cell

Formulation: PBS (pH 7.3) containing 1% BSA, 50% glycerol and 0.02% sodium azide.

Concentration: 0.4 mg/ml

Purification: Purified from mouse ascites fluids or tissue culture supernatant by affinity chromatography

(protein A/G)

Conjugation: Unconjugated

Storage: Store at -20°C as received.

Stability: Stable for 12 months from date of receipt.

Predicted Protein Size: 54.4 kDa

Gene Name: CD5 molecule

Database Link: NP 055022

Entrez Gene 921 Human

P06127


Synonyms: LEU1; T1

Protein Families: Druggable Genome, Transmembrane


Protein Pathways: Hematopoietic cell lineage




Product images:



HEK293T cells were transfected with the pCMV6-ENTRY control (Left lane) or pCMV6-ENTRY CD5 ([RC206494], Right lane) cDNA for 48 hrs and lysed. Equivalent amounts of cell lysates (5 ug per lane) were separated by SDS-PAGE and immunoblotted with anti-CD5. Positive lysates [LY415443] (100ug) and [LC415443] (20ug) can be purchased separately from OriGene.




Western blot analysis of extracts (35ug) from 1 cell line lysate by using anti-CD5 monoclonal antibody (1:500).




Immunohistochemical staining of paraffinembedded Human lymphoma tissue using anti-CD5 mouse monoclonal antibody. (Heat-induced epitope retrieval by 10mM citric buffer, pH6.0, 100°C for 10min, TA501376)






Immunohistochemical staining of paraffinembedded Human tonsil within the normal limits using anti-CD5 mouse monoclonal antibody. (Heat-induced epitope retrieval by 10mM citric buffer, pH6.0, 100°C for 10min, TA501376)




Anti-CD5 mouse monoclonal antibody (TA501376) immunofluorescent staining of COS7 cells transiently transfected by pCMV6-ENTRY CD5 ([RC206494]).



HEK293T cells transfected with either [RC206494] overexpress plasmid (Red) or empty vector control plasmid (Blue) were immunostained by anti-CD5 antibody (TA501376), and then analyzed by flow cytometry.





Flow cytometric Analysis of Jurkat cells, using anti-CD5 antibody (TA501376), (Red), compared to a nonspecific negative control antibody, (Blue).