

# Product datasheet for TA501536M

# BTN1A1 Mouse Monoclonal Antibody [Clone ID: OTI5E6]

# **Product data:**

#### **Product Type: Primary Antibodies Clone Name:** OTI5E6 **Applications:** FC, IF, WB Recommended Dilution: WB 1:500~2000, IF 1:100 **Reactivity:** Human, Dog, Rat, Monkey Host: Mouse Isotype: lgG1 **Clonality:** Monoclonal Immunogen: Full length human recombinant protein of human BTN1A1 (NP\_001723) produced in HEK293T cell. Formulation: PBS (pH 7.3) containing 1% BSA, 50% glycerol and 0.02% sodium azide. **Concentration:** 1 mg/ml **Purification:** Purified from mouse ascites fluids or tissue culture supernatant by affinity chromatography (protein A/G) **Conjugation:** Unconjugated Store at -20°C as received. Storage: Stability: Stable for 12 months from date of receipt. **Predicted Protein Size:** 58.8 kDa Gene Name: butyrophilin subfamily 1 member A1 Database Link: NP 001723 Entrez Gene 306956 RatEntrez Gene 100855656 DogEntrez Gene 700608 MonkeyEntrez Gene 696 Human Q13410 Background: Butyrophilin is the major protein associated with fat droplets in the milk. It is a member of the immunoglobulin superfamily. It may have a cell surface receptor function. The human butyrophilin gene is localized in the major histocompatibility complex (MHC) class I region of 6p and may have arisen relatively recently in evolution by the shuffling of exons between 2 ancestral gene families [provided by RefSeq].



View online »

This product is to be used for laboratory only. Not for diagnostic or therapeutic use. ©2025 OriGene Technologies, Inc., 9620 Medical Center Drive, Ste 200, Rockville, MD 20850, US

# OriGene Technologies, Inc.

9620 Medical Center Drive, Ste 200 Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com CN: techsupport@origene.cn

### STN1A1 Mouse Monoclonal Antibody [Clone ID: OTI5E6] – TA501536M

Synonyms:


BT; BTN; BTN1

**Protein Families:** 

Druggable Genome, Transmembrane

## **Product images:**

158-106-79-




HepG2 HeLa HT29 A549 COS7 Jurkat MDCK PC12 MCF7

HEK293T cells were transfected with the pCMV6-ENTRY control (Left lane) or pCMV6-ENTRY BTN1A1 ([RC223852], Right lane) cDNA for 48 hrs and lysed. Equivalent amounts of cell lysates (5 ug per lane) were separated by SDS-PAGE and immunoblotted with anti-BTN1A1. Positive lysates [LY400653] (100ug) and [LC400653] (20ug) can be purchased separately from OriGene.

Western blot analysis of extracts (35ug) from 9 different cell lines by using anti-BTN1A1 monoclonal antibody.

Anti-BTN1A1 mouse monoclonal antibody ([TA501536]) immunofluorescent staining of COS7 cells transiently transfected by pCMV6-ENTRY BTN1A1 ([RC223852]).

This product is to be used for laboratory only. Not for diagnostic or therapeutic use. ©2025 OriGene Technologies, Inc., 9620 Medical Center Drive, Ste 200, Rockville, MD 20850, US



HEK293T cells transfected with either [RC223852] overexpress plasmid (Red) or empty vector control plasmid (Blue) were immunostained by anti-BTN1A1 antibody ([TA501536]), and then analyzed by flow cytometry.

This product is to be used for laboratory only. Not for diagnostic or therapeutic use. ©2025 OriGene Technologies, Inc., 9620 Medical Center Drive, Ste 200, Rockville, MD 20850, US