

## **Product datasheet for TA501549**

# OriGene Technologies, Inc. 9620 Medical Center Drive, Ste 200

Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com CN: techsupport@origene.cn

#### KLHL2 Mouse Monoclonal Antibody [Clone ID: OTI6D8]

#### **Product data:**

**Product Type:** Primary Antibodies

Clone Name: OTI6D8

Applications: FC, IF, WB

**Recommended Dilution:** WB 1:500~2000, IF 1:100, FLOW 1:100

Reactivity: Human, Mouse, Rat

Host: Mouse Isotype: IgG2b

Clonality: Monoclonal

**Immunogen:** Human recombinant protein fragment corresponding to amino acids 1-100 and 494-593 of

human KLHL2 (NP\_009177) produced in HEK293T cell.

**Formulation:** PBS (pH 7.3) containing 1% BSA, 50% glycerol and 0.02% sodium azide.

Concentration: 1 mg/ml

**Purification:** Purified from mouse ascites fluids or tissue culture supernatant by affinity chromatography

(protein A/G)

Conjugation: Unconjugated

**Storage:** Store at -20°C as received.

**Stability:** Stable for 12 months from date of receipt.

**Predicted Protein Size:** 65.8 kDa

**Gene Name:** kelch like family member 2

Database Link: NP 009177

Entrez Gene 77113 MouseEntrez Gene 290692 RatEntrez Gene 11275 Human


095198

Synonyms: ABP-KELCH; MAV; MAYVEN







### **Product images:**



HEK293T cells were transfected with the pCMV6-ENTRY control (Left lane) or pCMV6-ENTRY KLHL2 ([RC205347], Right lane) cDNA for 48 hrs and lysed. Equivalent amounts of cell lysates (5 ug per lane) were separated by SDS-PAGE and immunoblotted with anti-KLHL2. Positive lysates [LY402119] (100ug) and [LC402119] (20ug) can be purchased separately from OriGene.




Western blot analysis of extracts (35ug) from 9 different cell lines by using anti-KLHL2 monoclonal antibody.



Anti-KLHL2 mouse monoclonal antibody (TA501549) immunofluorescent staining of COS7 cells transiently transfected by pCMV6-ENTRY KLHL2 ([RC205347]).





HEK293T cells transfected with either [RC205347] overexpress plasmid (Red) or empty vector control plasmid (Blue) were immunostained by anti-KLHL2 antibody (TA501549), and then analyzed by flow cytometry.