

## **Product datasheet for TA501631AM**

#### OriGene Technologies, Inc.

9620 Medical Center Drive, Ste 200 Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com CN: techsupport@origene.cn

### KIST (UHMK1) Mouse Monoclonal Antibody (Biotin conjugated) [Clone ID: OTI5E10]

**Product data:** 

**Product Type:** Primary Antibodies

Clone Name: OTI5E10

Applications: WB

Recommended Dilution: WB 1:200~500

Reactivity: Human, Dog, Rat, Monkey, Mouse

Host: Mouse Isotype: IgG1

Clonality: Monoclonal

Immunogen: Full length human recombinant protein of human UHMK1 (NP\_787062) produced in HEK293T

cell.

**Formulation:** PBS (pH 7.3) containing 1% BSA, 50% glycerol and 0.02% sodium azide.

**Concentration:** 0.5 mg/ml

**Purification:** Purified from mouse ascites fluids or tissue culture supernatant by affinity chromatography

(protein A/G)

Conjugation: Biotin

**Storage:** Store at -20°C as received.

**Stability:** Stable for 12 months from date of receipt.

**Predicted Protein Size:** 46.4 kDa

**Gene Name:** U2AF homology motif kinase 1

Database Link: NP 787062

Entrez Gene 246332 RatEntrez Gene 478986 DogEntrez Gene 720105 MonkeyEntrez Gene

<u>127933 Human</u>

Q8TAS1

**Background:** The gene encodes a serine/threonine protein kinase that promotes cell cycle progression

through G1 by phosphorylation of the cyclin-dependent kinase inhibitor 1B (p27Kip1), which causes nuclear export and degradation. The encoded protein is also thought to function in the adult nervous system and the gene has been associated with schizophrenia. Alternative

splicing results in multiple transcript variants. [provided by RefSeq]




# KIST (UHMK1) Mouse Monoclonal Antibody (Biotin conjugated) [Clone ID: OTI5E10] – TA501631AM


**Synonyms:** KIS; KIST; P-CIP2

**Protein Families:** Druggable Genome, Protein Kinase

## **Product images:**



HEK293T cells were transfected with the pCMV6-ENTRY control (Left lane) or pCMV6-ENTRY UHMK1 ([RC214962], Right lane) cDNA for 48 hrs and lysed. Equivalent amounts of cell lysates (5 ug per lane) were separated by SDS-PAGE and immunoblotted with anti-UHMK1. Positive lysates [LY406187] (100ug) and [LC406187] (20ug) can be purchased separately from OriGene.



Western blot analysis of extracts (35ug) from 9 different cell lines by using anti-UHMK1 monoclonal antibody.