

## Product datasheet for **TA501631BM**

### **KIST (UHMK1) Mouse Monoclonal Antibody (HRP conjugated) [Clone ID: OTI5E10]**

#### **Product data:**

|                         |   |
|-------------------------|---|
| Product Type:           | Primary Antibodies  |
| Clone Name:             | OTI5E10   |
| Applications:           | WB  |
| Recommended Dilution:   | WB 1:200~500  |
| Reactivity:             | Human, Dog, Rat, Monkey, Mouse  |
| Host:                   | Mouse   |
| Isotype:                | IgG1  |
| Clonality:              | Monoclonal  |
| Immunogen:              | Full length human recombinant protein of human UHMK1 (NP_787062) produced in HEK293T cell.  |
| Formulation:            | PBS (pH 7.3) containing 1% BSA, 50% glycerol.   |
| Concentration:          | 0.5 mg/ml   |
| Purification:           | Purified from mouse ascites fluids or tissue culture supernatant by affinity chromatography (protein A/G)   |
| Conjugation:            | HRP   |
| Storage:                | Store at -20°C as received.   |
| Stability:              | Stable for 12 months from date of receipt.  |
| Predicted Protein Size: | 46.4 kDa  |
| Gene Name:              | U2AF homology motif kinase 1  |
| Database Link:          | <a href="#">NP_787062</a><br><a href="#">Entrez Gene 246332 Rat</a> <a href="#">Entrez Gene 478986 Dog</a> <a href="#">Entrez Gene 720105 Monkey</a> <a href="#">Entrez Gene 127933 Human</a><br><a href="#">Q8TAS1</a>   |
| Background:             | The gene encodes a serine/threonine protein kinase that promotes cell cycle progression through G1 by phosphorylation of the cyclin-dependent kinase inhibitor 1B (p27Kip1), which causes nuclear export and degradation. The encoded protein is also thought to function in the adult nervous system and the gene has been associated with schizophrenia. Alternative splicing results in multiple transcript variants. [provided by RefSeq] |




[View online »](#)


**Synonyms:** KIS; KIST; P-CIP2

**Protein Families:** Druggable Genome, Protein Kinase

**Product images:**



HEK293T cells were transfected with the pCMV6-ENTRY control (Left lane) or pCMV6-ENTRY UHMK1 ([RC214962], Right lane) cDNA for 48 hrs and lysed. Equivalent amounts of cell lysates (5 ug per lane) were separated by SDS-PAGE and immunoblotted with anti-UHMK1. Positive lysates [LY406187] (100ug) and [LC406187] (20ug) can be purchased separately from OriGene.



Western blot analysis of extracts (35ug) from 9 different cell lines by using anti-UHMK1 monoclonal antibody.