

Product datasheet for TA501741BM

OriGene Technologies, Inc.

9620 Medical Center Drive, Ste 200 Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com CN: techsupport@origene.cn

RBBP9 Mouse Monoclonal Antibody (HRP conjugated) [Clone ID: OTI4G9]

Product data:

Product Type: Primary Antibodies

Clone Name: OTI4G9

Applications: FC, IF, IHC, WB

Recommended Dilution: WB 1:2000, IHC 1:150, IF 1:100, Flow: 1:100

Reactivity: Human, Mouse, Rat

Host: Mouse Isotype: IgG2a

Clonality: Monoclonal

Immunogen: Full length human recombinant protein of human RBBP9 (NP_006597) produced in HEK293T

cell

Formulation: PBS (pH 7.3) containing 1% BSA, 50% glycerol.

Concentration: 0.5 mg/ml

Purification: Purified from mouse ascites fluids or tissue culture supernatant by affinity chromatography

(protein A/G)

Conjugation: HRP

Storage: Store at -20°C as received.

Stability: Stable for 12 months from date of receipt.

Predicted Protein Size: 20.8 kDa

Gene Name: RB binding protein 9, serine hydrolase

Database Link: NP 006597

Entrez Gene 10741 Human

<u>075884</u>

Background: The protein encoded by this gene is a retinoblastoma binding protein that may play a role in

the regulation of cell proliferation and differentiation. Two alternatively spliced transcript variants of this gene with identical predicted protein products have been reported, one of which is a nonsense-mediated decay candidate. [provided by RefSeq]. COMPLETENESS:


complete on the 3' end.






Synonyms: BOG; RBBP10


Product images:



HEK293T cells were transfected with the pCMV6-ENTRY control (Cat# [PS100001], Left lane) or pCMV6-ENTRY RBBP9 (Cat# [RC202090], Right lane) cDNA for 48 hrs and lysed. Equivalent amounts of cell lysates (5 ug per lane) were separated by SDS-PAGE and immunoblotted with anti-RBBP9(Cat# [TA501741]). Positive lysates [LY401976] (100ug) and [LC401976] (20ug) can be purchased separately from OriGene.




Immunohistochemical staining of paraffinembedded Human pancreas tissue within the normal limits using anti-RBBP9 mouse monoclonal antibody. (Heat-induced epitope retrieval by 10mM citric buffer, pH6.0, 100°C for 10min, [TA501741], Dilution 1:50)




Immunohistochemical staining of paraffinembedded Carcinoma of Human thyroid tissue using anti-RBBP9 mouse monoclonal antibody. (Heat-induced epitope retrieval by 10mM citric buffer, pH6.0, 100°C for 10min, [TA501741], Dilution 1:50)






Immunohistochemical staining of paraffinembedded Human bladder tissue within the normal limits using anti-RBBP9 mouse monoclonal antibody. (Heat-induced epitope retrieval by 10mM citric buffer, pH6.0, 100°C for 10min, [TA501741], Dilution 1:50)



Anti-RBBP9 mouse monoclonal antibody ([TA501741]) immunofluorescent staining of COS7 cells transiently transfected by pCMV6-ENTRY RBBP9 ([RC202090]).



HEK293T cells transfected with either [RC202090] overexpress plasmid (Red) or empty vector control plasmid (Blue) were immunostained by anti-RBBP9 antibody ([TA501741]), and then analyzed by flow cytometry.