

Product datasheet for TA501823S

OriGene Technologies, Inc.

9620 Medical Center Drive, Ste 200 Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com CN: techsupport@origene.cn

PUS7 Mouse Monoclonal Antibody [Clone ID: OTI4H5]

Product data:

Product Type: Primary Antibodies

Clone Name: OTI4H5
Applications: FC, WB

Recommended Dilution: WB 1:500~2000, FLOW 1:100

Reactivity: Human, Dog, Monkey, Mouse, Rat

Host: Mouse Isotype: IgG1

Clonality: Monoclonal

Immunogen: Full length human recombinant protein of human PUS7 (NP_061915) produced in HEK293T

cell

Formulation: PBS (pH 7.3) containing 1% BSA, 50% glycerol and 0.02% sodium azide.

Concentration: 0.54 mg/ml

Purification: Purified from mouse ascites fluids or tissue culture supernatant by affinity chromatography

(protein A/G)

Conjugation: Unconjugated

Storage: Store at -20°C as received.

Stability: Stable for 12 months from date of receipt.

Predicted Protein Size: 74.9 kDa

Gene Name: pseudouridine synthase 7

Database Link: NP 061915

Entrez Gene 78697 MouseEntrez Gene 296751 RatEntrez Gene 100856353 DogEntrez Gene

697463 MonkeyEntrez Gene 54517 Human


Q96PZ0

Synonyms: FLJ20485; KIAA1897; MGC17720







Product images:



HEK293T cells were transfected with the pCMV6-ENTRY control (Left lane) or pCMV6-ENTRY PUS7 ([RC203902], Right lane) cDNA for 48 hrs and lysed. Equivalent amounts of cell lysates (5 ug per lane) were separated by SDS-PAGE and immunoblotted with anti-PUS7. Positive lysates [LY412749] (100ug) and [LC412749] (20ug) can be purchased separately from OriGene.





Western blot analysis of extracts (35ug) from 9 different cell lines by using anti-PUS7 monoclonal antibody.




Equivalent amounts of cell lysates (10 ug per lane) of wild-type HeLa cells (WT, Cat# LC810HELA) and PUS7-Knockout HeLa cells (KO, Cat# [LC833095]) were separated by SDS-PAGE and immunoblotted with anti-PUS7 monoclonal antibody [TA501823] (1:1000`). Then the blotted membrane was stripped and reprobed with anti-PCNA antibody as a loading control.









Flow cytometric Analysis of Jurkat cells, using anti-PUS7 antibody ([TA501823]), (Red), compared to a nonspecific negative control antibody (TA50011), (Blue).