

## **Product datasheet for TA501833**

## OriGene Technologies, Inc.

9620 Medical Center Drive, Ste 200 Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com CN: techsupport@origene.cn

## **AK3 Mouse Monoclonal Antibody [Clone ID: OTI6D6]**

**Product data:** 

**Product Type:** Primary Antibodies

Clone Name: OTI6D6

Applications: WB

Recommended Dilution: WB 1:500~2000

Reactivity: Human, Dog, Rat, Monkey, Mouse

Host: Mouse Isotype: IgG1

Clonality: Monoclonal

Immunogen: Full length human recombinant protein of human AK3 (NP\_057336) produced in HEK293T

cell

**Formulation:** PBS (pH 7.3) containing 1% BSA, 50% glycerol and 0.02% sodium azide.

**Concentration:** 0.93 mg/ml

**Purification:** Purified from mouse ascites fluids or tissue culture supernatant by affinity chromatography

(protein A/G)

Conjugation: Unconjugated

**Storage:** Store at -20°C as received.

**Stability:** Stable for 12 months from date of receipt.

**Predicted Protein Size:** 25.4 kDa

**Gene Name:** adenylate kinase 3

Database Link: NP 057366

Entrez Gene 26956 RatEntrez Gene 56248 MouseEntrez Gene 476342 DogEntrez Gene 694714

MonkeyEntrez Gene 50808 Human

<u>Q9UIJ7</u>

Synonyms: AK3L1; AK6; AKL3L; AKL3L1; FIX


**Protein Families:** Druggable Genome

**Protein Pathways:** Pyrimidine metabolism







## **Product images:**



HEK293T cells were transfected with the pCMV6-ENTRY control (Left lane) or pCMV6-ENTRY AK3 ([RC204408], Right lane) cDNA for 48 hrs and lysed. Equivalent amounts of cell lysates (5 ug per lane) were separated by SDS-PAGE and immunoblotted with anti-AK3. Positive lysates [LY414079] (100ug) and [LC414079] (20ug) can be purchased separately from OriGene.




Western blot analysis of extracts (35ug) from 9 different cell lines by using anti-AK3 monoclonal antibody.



Western blot analysis of extracts (10ug) from a mouse cell line and 3 different mouse tissues by using anti-AK3 monoclonal antibody (1:200).





Western blot analysis of extracts (10ug) from 10 Human tissue by using anti-AK3 monoclonal antibody at 1:200 (1: Testis; 2: Omentum; 3: Uterus; 4: Breast; 5: Brain; 6: Liver; 7: Ovary; 8: Thyroid gland; 9: colon;10: spleen).